

CREATE LIGHT FOR LIFE

Unit 2 - 135 East Beaver Creek Rd, Richmond Hill, ON L4B 1E2

+1 (416) 838 4373

info@lumer.ca

lumercanada



LUMER BUILDING & DESIGN CORPORATION
WWW.LUMER.CA

TABLE OF CONTENTS

A

ANDORIA 004
 ANELA 024
 AURORA 096
 ATHENA 080
 ARC 221/224
 ANELLO 202

B

BALLET 148
 BEAM 150
 BAMBI 237

C

COSIMA 018
 COMET 054
 CENTURY 128
 CHESS 179
 CIRCUIT 229

D

DIAMANTE 136
 DAY & NIGHT 215

E

EVALINE 020
 ELIO 200
 ETERNAL 056
 EQUATOR 146
 ESSENCE 124
 ECHO 182
 ELARA 184
 ENSO 172
 ECLIPSE 218
 ELISA 236

F

FLUORESCENCE 040
 FOCUS 116
 FISHER 162
 FLORENCE 183
 FORMULA 170
 FABRIA 176
 FRACTAL 214
 FABIO 235

G

GIANNI 076
 GRAVITY 158
 GEOMETRY 058
H
 HOROSCOPE 186
 HALO 154
 HELENE 238

I

IMPRESSION 219

J

JAZZ 140

JOSEPHINE 227

L

LUCERIO 022
 LEORA 240
 LIGHT-YEAR 042

LUNA

LUNA 198

LEONARDO 104

LANGE 112

LA BOTELLA 164

LIGHTHOUSE 166

LEJA 178

M

MEISSA 014
 METEOR 046
 MIRACLE 196
 MINIMALISM 141
 MIRAGE 212
 MIKA 242

N

NEBULA 094
 NACRE 036
 NERO 231

O

ORIZON 204
 ORBIT 132
 OPTICS 238

P

PEARL 032
 PERA 016

PERLA 038
 PRISM 108
 PANDORA 222/223
 PROMETHEUS 066
 PIANO 174
 PAN 206
 PHOEBE 237

Q

QUINTAS 235

R

RHYTHM 144
 RENZO 225
 RINGO 244

S

SOLAIRE 028
 SATURN 090
 SYMMETRY 194
 SEESAW 060
 SPECTER 168
 SECRET 181
 SKYLIGHT 208
 SHIELD 220
 SOMBRERO 229
 SONARA 230
 SLEEKER 233
 SIGNAL 246

T

TEAR 152

U

URANAS 120

V

VETRI 010
 VANITY MIRROR 226
 VARIETY 230
 VERA 243

W

WILBUR 160
 WATER LILY 228
 WALDORF 234

NEW PRODUCTS




PHOTO INDEX

1

PENDANTS




PHOTO INDEX




PHOTO INDEX



AURORA
096



PRISM
108



LANGE
112




FOCUS
116



URANAS
120



URANAS
122



ESSENCE
124



CENTURY
128



ORBIT
132



DIAMANTE
136



DIAMANTE
136



JAZZ
140



MINIMALISM
142



RHYTHM
144



EQUATOR
146



BALLET
148



BEAM
150



TEAR
152



HALO
154



HALO
156



GRAVITY
158



WILBUR
160



FISHER
162



LA BOTELLA
164



LIGHTHOUSE
166

PHOTO INDEX



SPECTER
168



SPECTER
168



FORMULA
170



ENSO
172



ENSO
172



PIANO
174



FABRIA
176



LEJA
178



CHESS
179




CHESS
180



SECRET
181



ECHO
182



FLORENCE
183



ELARA
184



HOROSCOPE
185



CEILING MOUNT



LUCERIO **NEW**
022



ANELA **NEW**
024



ANELA **NEW**
024



ESSENCE
125



HOROSCOPE
188



SYMMETRY
194



MIRACLE
196



LUNA
198



ELIO
200

PHOTO INDEX



ANELLO
202



ANELLO
202



ORIZON
204



PAN
206



PAN
206



SKYLIGHT
208



SKYLIGHT
210



MIRAGE
212



FRACTAL
214



FRACTAL
214



WALL SCONCES



ANDORIA **NEW**
008



PROMETHEUS
072



GIANNI
078



ATHENA
088



SATURN
092



AURORA
098



AURORA
098



AURORA
100



LEONARDO
104



PRISM
110



LANGE
114



FOCUS
115



ESSENCE
125



CENTURY
128

PHOTO INDEX



JAZZ
140




HOROSCOPE
188



HOROSCOPE
190



HOROSCOPE
190



DAY & NIGHT
216



ECLIPSE
218



IMPRESSION
219



SHIELD
220



ARC
221



PANDORA
222



OUTDOOR
PANDORA
223



OUTDOOR
ARC
224



RENZO
225



VANITY MIRROR
226



JOSEPHINE
227



WATER LILY
228



CIRCUIT
229



SOMBRERO
229



VARIETY
230



SONARA
230



TABLE LAMPS



ANDORIA **NEW**
008



PROMETHEUS
074



FOCUS
118



ESSENCE
126

PHOTO INDEX



ESSENCE
126



CENTURY
130



ORBIT
134



DIAMANTE
138



MINIMALISM
141



HOROSCOPE
191



HOROSCOPE
192



NERO
231



SLEEKER
233



WALDORF
234



FABIO
235



QUINTAS
235



ELISA
236



PHOEBE
237



BAMBI
237



HELENE
238



OPTICS
238



MIKA
242



VERA
243



RINGO
244

5

FLOOR LAMPS



PROMETHEUS
074



FOCUS
118



DIAMANTE
138



HOROSCOPE
192

PHOTO INDEX



NERO
232



SLEEKER
233



LEORA
240



MIKA
242



VERA
243



SIGNAL
246

VANITY LIGHTS



PROMETHEUS
072



GIANNI
078



ATHENA
088



AURORA
098



AURORA
100



LEONARDO
104



PRISM
110



LANGE
114



FOCUS
116



HOROSCOPE
190



SONARA
230



VARIETY
230

PICTURE LIGHTS



FOCUS
116



HOROSCOPE
190

OUTDOOR LIGHTS



OUTDOOR
PANDORA
223



OUTDOOR
ARC
224

ICON REFERENCE



Products over 50lbs require reinforced junction box

LIGHT DIRECTIONS



5 YEAR WARRANTY

PageOne Lighting guarantees against defects in workmanship, assembly and materials used in our products. PageOne will repair or replace at our discretion for any products that fail to operate due to a defect within One Year of the retail invoice. Due to the quality and latest LED Technology used by PageOne, the company offers an industry leading 5 Year Warranty on all of our LED modules! PageOne will not honor any claim for improperly installed fixtures or when unauthorized modifications have been made to a fixture. No chargebacks or charges for labor or material will be honored without our prior consent. Except as stated above, there are no other warranties, expressed or implied.

WIRE LENGTH

Many of our current products which are 59" in OAH are changing to 120" of wire, many of these products we are depleting inventory and may be 120" prior to our next catalog print. If you require 120" wire product which is not specified within our catalog please contact us to see if we have available in stock already.

CUSTOM OPTIONS

Custom options are available for all PageOne Lighting cataloged products from custom finishes, wire lengths, different color temperatures and/or any other specific requirement required. Minimum order quantities (MOQ's) will apply and will require our sales department to quote each project separately. All custom options will require a 10 to 12 week ETA lead time from final approval signature (lead times could change depending on requests and volume). For custom products and unique specifications please contact sales@pageonelightning.com for more information.

PREMIUM FINISHES

METAL

AB - Antique Brass	DT - Deep Taupe	PS - Polished Stainless
AL - Brushed Aluminum	GB - Golden Bronze	PW - Pure White
EB - English Brass	GS - Gloss Silver	SB - Satin Brass
BBK - Brushed Black	MB - Matte Black	SBB - Satin Brushed Black
BC - Brushed Champagne	MG - Matte Gold	SBK - Satin Black
BG - Brushed Gold	MH - Matte White	SDG - Satin Dark Gray
BMB - Brushed Matte Black	MW - Matte White	SN - Satin Nickel
BN - Brushed Nickel	NB - Navy Blue	VW - Vanilla White
BT - Brushed Taupe	PB - Polished Brass	SAB - Satin Antique Brass
CM - Chrome	PN - Polished Nickel	GY - Gray
SG - Shiny Gold	MBG - Matte Brushed Imitation Gold	BKC - Black Chrome

GLASS

AM - Amber	MO - Matte Opal	SBN - Smoke Brown
CL - Clear	MS - Mirror Smoke	SM - Smoked Gray
FC - Frosted Clear	OW - Opal White	
FW - Frosted White	PF - Partially Frosted	

FABRIC

BK - Black	FB - Fibre Black	TW - Texture White
CW - Cream White	FH - Fibre White	WH - White
CWH - Cotton White	GG - Grayish Green	

WOOD

BE - Beech	RO - Red Oak	WN - Walnut
------------	--------------	-------------

STATEMENT:

All pictures shown in this catalogue are for reference purpose only, while actual products may vary due to product enhancement and, the delivered lumens in this catalogue are preliminary figures.



All PageOne products are ETL Verified Mark has been tested and proven to comply with the minimum requirements of a prescribed industry standard.



ANDORIA



PP121931-PB/FW **NEW**



PP121931-BKC/SM **NEW**



PP121931-BKC **NEW**



Retractable Wire System



PP121931

ANDORIA

DETAILS

Material:
Zinc Alloy + Steel

Lamp Shade:
Acrylic / Steel

Finishing:
Electroplating +
Painting

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.

PP121931

Wattage:

10W

Voltage:

100-120V

Size:

8.1\"/>

Estimated Lumens:


780

Estimated Delivered Lumens:

470



PP121940-BKC/SM **NEW**



PP121940

ANDORIA

DETAILS

Material:
Zinc Alloy + Steel

Lamp Shade:
Acrylic

Finishing:
Electroplating +
Painting

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.

Wattage:

Voltage:

Size:

Estimated Lumens:

Estimated Delivered Lumens:

PP121940

48W (5-light)

100-120V

19.7" Dia x 128"H

3900

2350




PW131559-BKC/SM **NEW**



*PT141063-PB/BKC **NEW**



*Touch Control 4 stage touch dimming 100%-50%-15%-5%



PW131559

PT141063

ANDORIA

DETAILS

Material:
Zinc Alloy + Steel

Lamp Shade:
Acrylic / Steel

Finishing:
Electroplating +
Painting

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours

Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW131559	PT141063
Wattage:	10W	10W
Voltage:	100-120V	100-120V
Size:	8.1\"L x 10.6\"W x 9.3\"H	8.1\"Dia. x 17.1\"H
Estimated Lumens:	780	900
Estimated Delivered Lumens:	470	530



PP121908-CM **NEW**



PP121908

VETRI


DETAILS

Material: Aluminum	Color Temp.: 3000K
Lamp Shade: Glass	CRI (Ra): ≥90
Finishing: Electroplating + Painting	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121908
Wattage:	7W
Voltage:	100-130V
Size:	8.2"L x 5.9"W x 86.6"OAH
Estimated Lumens:	600
Estimated Delivered Lumens:	205




PP121912-CM **NEW**



PP121914-CM **NEW**



PP121912



PP121914

VETRI

DETAILS

Material: Aluminum	Color Temp.: 3000K
Lamp Shade: Glass	CRI (Ra): ≥90
Finishing: Electroplating + Painting	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121912	PP121914
Wattage:	21W (3-light)	60W (9-light)
Voltage:	100-240V	100-130V
Size:	13.8\"/>	
Estimated Lumens:	1800	5400
Estimated Delivered Lumens:	615	1845



PP121970-CM **NEW**

PP121968-CM **NEW**

PP121969-CM **NEW**



MEISSA

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Acrylic
 Finishing: Electroplating + Painting

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121970	PP121968	PP121969
Wattage:	6W	45W (9- light)	96W (19- light)
Voltage:	100-120V	100-120V	100-120V
Size:	4.3" Dia. x 78.7" OAH	15.7" Dia. x 129.9" OAH	29.5" Dia. x 129.9" OAH
Estimated Lumens:	500	3700	8000
Estimated Delivered Lumens:	380	2600	5500



PP121743-CM **NEW**



PP121743

PERA


DETAILS

Material:	Aluminum	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Electroplating	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121743
Wattage:	6W
Voltage:	100-120V
Size:	4.7"Dia x 92.5"OAH
Estimated Lumens:	420
Estimated Delivered Lumens:	300




PP121546-BK **NEW**



PP121548-BK **NEW**



Cantilever System



PP121546

PP121548

COSIMA

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Acrylic
 Finishing: Painting

Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121546	PP121548
Wattage:	27W	65W
Voltage:	100-120V	100-120V
Size:	23.6\"Dia. x 126.0\"OAH	31.5\"Dia. x 126.0\"OAH
Estimated Lumens:	2400	5500
Estimated Delivered Lumens:	670	1350



PP121794-BC **NEW**



PP121795-BC **NEW**



EVALINE

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Acrylic
 Finishing: Painting

Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121794	PP121795
Wattage:	41W	10W
Voltage:	100-120V	100-120V
Size:	23.6\"Dia. x 122.0\"OAH	31.5\"Dia. x 129.9\"OAH
Estimated Lumens:	3500	8100
Estimated Delivered Lumens:	1930	4300



PC111317-MBG **NEW**



PC111317

LUCERIO

DETAILS

Material: Aluminum + Steel	Color Temp.: 3000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Painting + Anodizing	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PC111317
Wattage:	54W
Voltage:	100-120V
Size:	17.7" Dia. x 2.1"H
Estimated Lumens:	5000
Estimated Delivered Lumens:	3940



PC111343-BC **NEW**



PC111344-BC **NEW**



ANELA

DETAILS

Material:	Steel	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Painting	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PC111343	PC111344
Wattage:	38W	80W
Voltage:	100-130V	100-130V
Size:	17.7" Dia x 2.7"H	23.6" Dia. x 2.7"H
Estimated Lumens:	3240	7500
Estimated Delivered Lumens:	1800	4150



SOLAIRE



PP121828-SAB **NEW**



PP121828

SOLAIRE

DETAILS

Material:	Aluminum	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Anodizing	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121828
Wattage:	40W
Voltage:	100-120V
Size:	47.2"L x 4.7"W x 121.5"OAH
Estimated Lumens:	3700
Estimated Delivered Lumens:	1900




PP121822-SAB

PP121823-SAB


PP121825-SAB



PP121822



PP121823



PP121825

SOLAIRE

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing

Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.

	PP121822	PP121823	PP121825
Wattage:	35W	58W	92W
Voltage:	100-130V	100-130V	100-130V
Size:	15.7" Dia. x 122" OAH	23.6" Dia. x 122" OAH	23.6" Dia. x 122" OAH
Estimated Lumens:	3300	4950	8250
Estimated Delivered Lumens:	1500	2200	3600



PP121727-AB **NEW**



PP121727

PEARL

DETAILS

Material:	Steel	Color Temp.:	3000K
Lamp Shade:	Glass	CRI (Ra):	≥90
Finishing:	Electroplating	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121727
Wattage:	6W
Voltage:	100-120V
Size:	8.7"L x 4.7"W x 97.6"OAH
Estimated Lumens:	430
Estimated Delivered Lumens:	235



PP121565-PB




PP121562-PB




PP121563-PB




PP121564-PB




PP121565



PP121562



PP121563



PP121564



PEARL

DETAILS

Materials: Steel	Color Temp.: 3000K
Lamp Shade: Class	CRl (Ra): ≥90
Finishing: Plating + Painting	LED Rated Life: ≈50,000 Hours
	Dimming: 100% - 10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121565	PP121562	PP121563	PP121564
Wattage:	22W (6- light)	11W (3- light)	22W (6- light)	33W (9- light)
Voltage:	100-120V	100-120V	100-120V	100-120V
Size:	48.2" x 5.9" x 132.7"OAH	17.7"L x 5.9"W x 144.1"OAH	25.6"Dia. x 122"OAH	31.5"Dia. x 122"OAH
Total Lumens:	2000	900	2000	3000
Delivered Lumens:	1000	500	1000	1500



PP121634-PB



PP121634

NACRE


DETAILS

Materials: Steel	Color Temp.: 3000K
Lamp Shade: Glass	CRI (Ra): ≥90
Finishing: Plating + Painting	LED Rated Life: ~50,000 Hours
	Dimming: 100% - 10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121634
Wattage:	5W
Voltage:	100-120V
Size:	6.9" Dia. x 134.8" OAH
Total Lumens:	500
Delivered Lumens:	500



PP121898-SAB



PP121898

PERLA

DETAILS

Material: Aluminum
 Lamp Shade: Glass + Acrylic
 Finishing: Anodizing

Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121898
Wattage:	13W
Voltage:	100-130V
Size:	11" x 4.7" x 135.8"OAH
Estimated Lumens:	1080
Estimated Delivered Lumens:	430



PP121715-AB



PP121715

FLUORESCENCE

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Acrylic
 Finishing: Plating

Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO. PP121715
 Wattage: 7W
 Voltage: 100-120V
 Size: 4.7" Dia. x 95.2" OAH
 Total Lumens: 600
 Delivered Lumens: 420




PP121728-CM/GY



PP121806-CM/GY



PP121807-CM/GY



LIGHT-YEAR

DETAILS

Material: Zinc Alloy + Steel + ABS	Color Temp.: 3000K
Lamp Shade: Crystal + Acrylic	CRI (Ra): ≥90
Finishing: Electroplating + Painting	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121728	PP121806	PP121807
Wattage:	6W	15W (3- light)	25W (5- light)
Voltage:	100-120V	100-120V	100-120V
Size:	4.7" Dia. x 91.7" OAH	18.9" x 5.9" x 128.3" OAH	34.6" x 5.9" x 128.3" OAH
Total Lumens:	420	1260	2100
Delivered Lumens:	300	900	1500



PP121755-CM/GY



PP121753-CM/GY



PP121753

PP121755

LIGHT-YEAR

DETAILS

Material:
Zinc Alloy + Steel + ABS

Lamp Shade:
Crystal + Acrylic

Finishing:
Electroplating +
Painting

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: ≥50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121753	PP121755
Wattage:	35W (7-light)	96W (18-light)
Voltage:	100-120V	100-120V
Size:	19.7" Dia. x 128.3" OAH	31.5" Dia. x 128.3" OAH
Total Lumens:	2940	7560
Delivered Lumens:	2100	5400



PP120103-SDC



PP121060-BG




PP121090-SDG



PP120103-BG



PP121060-SDG



Color Finish



METEOR

DETAILS	ITEM NO.	PP120103	PP121060	PP121090
Material: Aluminum + Steel	Wattage:	36W (6-light)	65W (10-light)	104W (16-light)
Lamp Shade: Acrylic	Voltage:	100-120V	100-120V	100-120V
Finishing: Anodizing + Painting	Size:	13.8" Dia. x 137.4" OAH	27.6"L x 7.5"W x 137.4" OAH	45.3"L x 7.5"W x 137.4" OAH
Color Temp.: 3000K	Total Lumens:	3200	6200	9300
CRI (Ra): ≥90	Delivered Lumens:	2100	3600	5600
LED Rated Life: =50,000 Hours				
Dimming: 100%-10%				

Dimmable with ELV or TRIAC Dimmer (Not Included)



PP120099-AL



PP120099-BG





PP120102-AL



PP120102-SDG

Color Finish



METEOR


DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing
 Color Temp: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP120099	PP120102
Wattage:	6.5W	30W (5-light)
Voltage:	100-130V	100-130V
Size:	4.7" Dia. x 139" OAH	27.6" L x 4.7" W x 138.5" OAH
Total Lumens:	630	3150
Delivered Lumens:	273	1367



PP121040-AL




PP120105-BG




PP120105-SDG

Color Finish



PP121040



PP120105

METEOR

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Acrylic
 Finishing: Anodizing + Baking Finish
 Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121040	PP120105
Wattage:	210W (28-light)	96W (16-light)
Voltage:	100-130V	100-130V
Size:	33.5" Dia. x 138.5" OAH	25.6" Dia. x 138.5" OAH
Total Lumens:	15480	8640
Delivered Lumens:	6718	3750





PP121396-SDG



PP121396-AL



PP121396-BG

Color Finish



METEOR

DETAILS

Material: Aluminum + Steel

Lamp Shade: Acrylic

Finishing: Anodizing + Baking Finish

Color Temp.: 3000K


CRI (Ra): ≥90

LED Rated Life: +50,000 Hours


Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)



ITEM NO.	PP121396
Wattage:	210W (28-light)
Voltage:	100-130V
Size:	33.5\"Dia. x 138.4\"OAH
Total Lumens:	15480
Delivered Lumens:	6718




PP121493-SDG/BC



PP121498-SDG/BC



Color Finish



COMET


DETAILS

Materials:	Aluminum + Steel	Color Temp:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Anodizing + Painting	LED Rated Life:	≈50,000 Hours
		Dimming:	100% - 10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121493	PP121498
Wattage:	8W	94W (12-light)
Voltage:	100-120V	100-120V
Size:	5.9" Dia. x 138.6" OAH	23.6" Dia. x 145.7" OAH
Total Lumens:	800	9000
Delivered Lumens:	490	5700




PP121769-SAB




PP121772-SAB




PP121774-SAB



PP121769



PP121772



PP121774

ETERNAL


DETAILS

Material:	Aluminium	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Anodizing + Painting	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121769	PP121772	PP121774
Wattage:	30W	69W (3- light)	148W (5- light)
Voltage:	100-120V	100-120V	100-120V
Size:	18.9" x 5.9" x 132"OAH	46.2" x 5.9" x 132"OAH	74.8" x 5.9" x 132"OAH
Total Lumens:	2200	6600	11000
Delivered Lumens:	950	2850	4750




PP121423-SDG




PP121463-SDG




PP121424-SDG



PP121423



PP121424



PP121463

GEOMETRY

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121423	PP121424	PP121463
Wattage:	72W	90W	99W
Voltage:	100-130V	100-130V	100-130V
Size:	33.5"L x 19.7"W x 139.3"OAH	43.3"L x 23.6"W x 147.2"OAH	53.1"L x 29.5"W x 154.1"OAH
Total Lumens:	6300	8400	9030
Delivered Lumens:	2860	3814	4100



Adjustable Lamp Head

Color Finish



SEESAW

DETAILS	ITEM NO.	PP020237	PP020236	PP020238
Material: Aluminum + Steel	Wattage:	65W (13- light)	126W (25- light)	70W (14- light)
Lamp Shade: Acrylic	Voltage:	100-130V	100-130V	100-130V
Finishing: Anodizing	Size:	31.5"L x 23.6"W x 125.2"OAH	41.3"L x 33.5"W x 125.2"OAH	51.2"L x 13.8"W x 125.2"OAH
Color Temp.: 3000K	Total Lumens:	4920	9960	5880
CRI (Ra): ≥80	Delivered Lumens:	2135	4323	2552
LED Rated Life: ≈50,000 Hours				
Dimming: 100%-10%				




Dimmable with ELV or TRIAC Dimmer (Not Included)



PP020211-SDG



PP020213-SDG



PP020211

PP020213

SEESAW

DETAILS

Material:	Aluminum + Steel	Color Temp:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥80
Finishing:	Anodizing	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP020211	PP020213
Wattage:	35W (5-light)	84W (12-light)
Voltage:	100-130V	100-130V
Size:	39.5\"/>	
Total Lumens:	3150	7560
Delivered Lumens:	1367	3281



PROMETHEUS COLLECTION

Ultra-sleek designs which provide a refined and minimalistic aesthetic to any environment. The collection consists of light softly framing the surfaces of the curvilinear and rectilinear forms a single or double tier option also available with additional linear fixture solutions. The pendants are uniquely designed with only two wires providing perfect balance to its design. Portables and Vanities are included within this collection supplying light and form to add function, along with beauty, in any contemporary or eclectic space. Available in four of our premium finishes.





PP121121-AG



PP121153-DT





PP121121-SDG



PP121153-BG

Color Finish



PROMETHEUS

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing
 Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: ~50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121121	PP121153
Wattage:	26W	51W
Voltage:	100-130V	100-130V
Size:	30.5"L x 17.7"W x 127.6"OAH	30.7"L x 17.7"W x 127.6"OAH
Total Lumens:	2550	3780
Delivered Lumens:	1107	1641



PP120280-SDC



PP120281-BG




PP120282-DT



PP120280-AG



PP120283-SDC



PP120285-DT



PP120284-BG




PP120283-AG

Color Finish



PP120280



PP120281



PP120282



PROMETHEUS

DETAILS		ITEM NO.	PP120280	PP120281	PP120282
Material:	Aluminum	Color Temp.:	3000K		
Lamp Shade:	Acrylic	Wattage:	22W	31W	53W
Finishing:	Anodizing	Voltage:	100-130V	100-130V	100-130V
		Size:	25.6"L x 21.7"W x 127.6"OAH	31.5"L x 27.6"W x 127.6"OAH	28.4"L x 27.6"W x 127.6"OAH
		Total Lumens:	1800	2520	4320
		Delivered Lumens:	808	1348	2395




Dimmable with ELV or TRIAC Dimmer (Not Included)


Color Finish



PP120283



PP120284



PP120285

PROMETHEUS

DETAILS		ITEM NO.	PP120283	PP120284	PP120285
Material:	Aluminum	Color Temp.:	3000K		
Lamp Shade:	Acrylic	Wattage:	31W	42W	73W
Finishing:	Anodizing	Voltage:	100-130V	100-130V	100-130V
		Size:	27.6"L x 23.6"W x 127.6"OAH	33.5"L x 29.6"W x 127.6"OAH	33.5"L x 29.6"W x 127.6"OAH
		Total Lumens:	2520	3120	5640
		Delivered Lumens:	1070	1386	2566



Dimmable with ELV or TRIAC Dimmer (Not Included)



PP120286-SDG




PP120288-BG




PP120286-BG




PP120286-AG




PP120287-DT



PP120286




PP120287



PP120288

Color Finish



PROMETHEUS

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing

Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP120286	PP120287	PP120288
Wattage:	21W	26W	36W
Voltage:	100-130V	100-130V	100-130V
Size:	35.4"L x 4.7"W x 124.8"OAH	47.2"L x 4.7"W x 124.8"OAH	59"L x 4.7"W x 124.8"OAH
Total Lumens:	1680	2100	2830
Delivered Lumens:	746	932	1257



PW131022-SDG




PW131023-AG




PW131022-BC



PW131023-DT



Color Finish



PROMETHEUS

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing

Color Temp: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW131022	PW131023
Wattage:	10W	12W
Voltage:	100-130V	100-130V
Size:	19.8"L x 2.8"W x 5.6"H	27.6"L x 2.8"W x 5.6"H
Total Lumens:	840	1260
Delivered Lumens:	365	547



PF150564-DT



PT140903-SDG




PT140903-BC



PT140903-AG

Color Finish



PROMETHEUS

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing
 Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: =50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PT140903	PF150564
Wattage:	10W	23W
Voltage:	100-240V	100-130V
Size:	7.9" Dia. x 20.5"H	9.8" Dia. x 59.7"H
Total Lumens:	900	1890
Delivered Lumens:	387	820





GIANNI COLLECTION

The Gianni Collection is a split modern ring form featured in a timeless design which will enhance any contemporary or eclectic space. Available in single, double, and triple tier ring pendants which can be arranged into many orbital patterns. Sleek linear pendants and vanities are also available with our fashionable brushed champagne finish. Whether it is luxury, elegance or chic design the Gianni Collection accommodates all.



PP020109-BC


PP020113-BC

PP020112-BC



PP020111-BC

PP020110-BC



GIANNI

DETAILS

Material: Aluminum + Steel
Lamp Shade: Acrylic
Finishing: Baking Finish

Color Temp: 3000K
CRI (Ra): ≥90
LED Rated Life: ≈50,000 Hours
Dimming: 100%-10%



Dimmable with ELY or TRIAC Dimmer (Not Included)

ITEM NO.	PP020113	PP020112	PP020111	PP020110	PP020109
Wattage:	41W	51W	41W+51W	51W+61W	41W+51W+61W
Voltage:	100-130V	100-130V	100-130V	100-130V	100-130V
Size:	23.6"Dia. x 123"OAH	31.5"Dia. x 123"OAH	31.5"Dia. x 123"OAH	39.4"Dia. x 123"OAH	39.4"Dia. x 123"OAH
Total Lumens:	3120	4200	7320	9240	12360
Delivered Lumens:	1566	2108	3675	4658	6205



PP020114-BC



PP020115-BC




PW030021-BC




PW030020-BC




PW030019-BC




PP020114




PP020115



PW030021



PW030020



PW030019

GIANNI

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Acrylic

Finishing:
Baking Finish

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours


Dimming: 100%-10%




Dimmable with ELY or TRIAC Dimmer (Not Included)

ITEM NO.	PP020114	PP020115	PW030021	PW030020	PW030019
Wattage:	53W	61W	10W	15W	20W
Voltage:	100-130V	100-130V	100-130V	100-130V	100-130V
Size:	47.2"L x 4.7"W x 129.9"OAH	59"L x 4.7"W x 129.9"OAH	21.7"L x 3"W x 4.7"H	29.5"L x 3"W x 4.7"H	39.4"L x 3"W x 4.7"H
Total Lumens:	2520	5040	840	1260	1680
Delivered Lumens:	1154	2308	365	547	729







PP020244-SBB




PP020245-SBB




PP020246-SBB



PP020244



PP020245



PP020246

ATHENA


DETAILS

Material:	Aluminum	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	>90
Finishing:	Anodizing	LED Rated Life:	~50,000 Hours
		Dimming:	100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP020244	PP020245	PP020246
Wattage:	30W	40W	50W
Voltage:	100-130V	100-130V	100-130V
Size:	21.7\"/>		
Total Lumens:	2520	3360	3900
Delivered Lumens:	1144	1525	1771



PP020250-SBB



PP020251-SBB



PP020250

PP020251


ATHENA

DETAILS	
Material:	Aluminum
Lamp Shade:	Acrylic
Finishing:	Anodizing
Color Temp.:	3000K
CRI (Ra):	>90
LED Rated Life:	+50,000 Hours
Dimming:	100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP020250	PP020251
Wattage:	70W	89W
Voltage:	100-130V	100-130V
Size:	28"L x 25.8"W x 122.9"OAH	32.7"L x 31.7"W x 122.9"OAH
Total Lumens:	5880	7020
Delivered Lumens:	2670	3187



ATHENA

DETAILS	ITEM NO.	PP020247	PP020248	PP020249
Material: Aluminum	Wattage:	40W	40W	50W
Lamp Shade: Acrylic	Voltage:	100-130V	100-130V	100-130V
Color Temp.: 3000K	Size:	23.2"L x 19.7"W x 122.9"OAH	29.1"L x 25.6"W x 122.9"OAH	33.5"L x 31.5"W x 122.9"OAH
CRl (Ra): ≥90	Total Lumens:	3360	3360	4320
LED Rated Life: ~50,000 Hours	Delivered Lumens:	1525	1525	1961
Dimming: 100%-10%				


Dimmable with ELV or TRIAC Dimmer (Not Included)



PP020252-SBB



PP020253-SBB



PP020252

PP020253

ATHENA

DETAILS

Material:	Aluminum	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Anodizing	LED Rated Life:	≈50,000 Hours
		Dimming:	100%(-10%)



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP020252	PP020253
Wattage:	80W	80W
Voltage:	100-130V	100-130V
Size:	29.1"L x 25.6"W x 122.9"OAH	33.5"L x 31.5"W x 122.9"OAH
Total Lumens:	6720	7440
Delivered Lumens:	3051	5378



PW131522-SDG



PW131523-SDG



ATHENA

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Acrylic
 Finishing: Anodizing + Painting
 Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW131522	PW131523
Wattage:	11W	17W
Voltage:	100-130V	100-130V
Size:	23.6"L x 2.9"W x 4.7"H	29.5"L x 2.9"W x 4.7"H
Total Lumens:	670	840
Delivered Lumens:	470	590




PP121618-AB/BB



PP121619-AB/BB

Color Finish



PP121618

PP121619

SATURN

DETAILS

Materials:	Steel	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Electroplating	LED Rated Life:	≈50,000 Hours
		Dimming:	100% - 10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121618	PP121619
Wattage:	30W (4- light)	43W (6- light)
Voltage:	100-120V	100-120V
Size:	23.6"L x 6.3"W x 129.9"OAH	35.4"L x 6.3"W x 129.9"OAH
Total Lumens:	2520	3600
Delivered Lumens:	1100	1650



PW131435-AB/BB




PW131436-AB/BB



PW131437-AB/BB




Color Finish



PW131435



PW131436



PW131437

SATURN

DETAILS

Materials:
Steel

Lamp Shade:
Acrylic

Finishing:
Electroplating

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours

Dimming: 100% - 10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW131435	PW131436	PW131437
Wattage:	6W	7W	10W
Voltage:	100-120V	100-120V	100-120V
Size:	D6.3" x 3.1"	D7.9" x 3.5"H	D9.8" x 4.1"
Total Lumens:	520	630	840
Delivered Lumens:	240	280	370




PP121745-AB



PP121745-BK



Color Finish



PP121745

NEBULA

DETAILS

Material:	Steel	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Anodizing + Painting, Painting	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121745
Wattage:	53W
Voltage:	100-120V
Size:	21.5" Dia. x 122.5" OAH
Total Lumens:	4100
Delivered Lumens:	1800



Color Finish



AURORA

DETAILS

Material:	Aluminum	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Anodizing + Painting	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121462
Wattage:	19W
Voltage:	100-130V
Size:	51.3"L x 4.7"W x 131.7"OAH
Total Lumens:	1470
Delivered Lumens:	1065

PW131318-MH



Color Finish



AURORA

DETAILS

Material: Aluminum
Lamp Shade: Acrylic
Finishing: Anodizing + Painting
Color Temp.: 3000K
CRI (Ra): ≥90
LED Rated Life: ≈50,000 Hours
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)



PW131321-SBB




PW131322-AL




PW131320-BC




PW131319-SBB




PW131321




PW131319



PW131322



PW131318




PW131320

ITEM NO.	PW131321	PW131319	PW131322	PW131318	PW131320
Wattage:	11W	22W	22W	16W	16W
Voltage:	100-130V	100-130V	100-130V	100-130V	100-130V
Size:	14.7"L x 2.6"W x 4.7"H	24.5"L x 2.6"W x 4.7"H	38.3"L x 2.6"W x 4.7"H	22.6"L x 2.6"W x 4.7"H	26.5"L x 2.6"W x 4.7"H
Total Lumens:	840	1680	1680	1260	1260
Delivered Lumens:	609	1217	1217	913	913

PW131325-MH



Color Finish



AURORA

DETAILS

Material: Aluminum
Lamp Shade: Acrylic
Finishing: Anodizing + Painting

Color Temp.: 3000K
CRI (Ra): ≥90
LED Rated Life: =50,000 Hours
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)



PW131324-SBB




PW131327-AL




PW131326-BC




PW131323-SBB




PW131325




PW131324



PW131327



PW131323




PW131326

ITEM NO.	PW131325	PW131324	PW131327	PW131323	PW131326
Wattage:	6W	11W	11W	8W	8W
Voltage:	100-130V	100-130V	100-130V	100-130V	100-130V
Size:	14.7"L x 2.6"W x 4.7"H	24.5"L x 2.6"W x 4.7"H	38.3"L x 2.6"W x 4.7"H	22.6"L x 2.6"W x 4.7"H	26.5"L x 2.6"W x 4.7"H
Total Lumens:	420	840	840	630	630
Delivered Lumens:	304	609	609	457	457

AURORA COLLECTION - MULTI-FINISH ACCESSORIES

The Aurora Collection offers the ability to be unique, as it is a handcrafted work of art. Make every Aurora light fixture a masterpiece with the different aluminum lens cap rings available in our brushed aluminum, brushed gold, matte white and satin brushed black premium finishes. Create your own two toned or mixed finished light and change depending on your mood or to match new surrounding décor added within the room. Ring accessories are sold separately.



RING COMBINATIONS



SBB - Satin Brushed Black
PTS13/12RG-SBB



BC - Brushed Gold
PTS13/12RG-BG



AL - Brushed Aluminum
PTS13/12RG-AL



MH - Matte White
PTS13/12RG-MH



SBB - Satin Brushed Black
BC - Brushed Gold



BC - Brushed Gold
AL - Brushed Aluminum



AL - Brushed Aluminum
MH - Matte White



MH - Matte White
SBB - Satin Brushed Black



SBB - Satin Brushed Black
AL - Brushed Aluminum



BC - Brushed Gold
MH - Matte White



AL - Brushed Aluminum
SBB - Satin Brushed Black



MH - Matte White
BC - Brushed Gold



SBB - Satin Brushed Black
MH - Matte White



BC - Brushed Gold
SBB - Satin Brushed Black



AL - Brushed Aluminum
BC - Brushed Gold



MH - Matte White
AL - Brushed Aluminum



PW030027-BC





PW030028-SDG



PW030029-AL

Color Finish



LEONARDO

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishes: Anodizing + Painting

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%



Can be mounted upwards or downwards
 Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PW030027	PW030028	PW030029
Wattage:	6.5W	9W	14.5W
Voltage:	100-130V	100-130V	100-130V
Size:	19.7"L x 2.8"W x 4.7"H	27.6"L x 2.8"W x 4.7"H	43.3"L x 2.8"W x 4.7"H
Total Lumens:	520	730	1150
Delivered Lumens:	361	507	798


LEONARDO - MULTI-FINISH ACCESSORIES

Bring life to your home with the ability to uniquely choose different finishes for the lens caps of the Leonardo wall fixtures. The aluminum designed lens cap rings are available in our brushed aluminum, brushed champagne, matte white and satin dark gray premium finishes. Create your own two toned or mixed finished wall sconces and change depending on your mood or to match new surrounding décor added within the room. Ring accessories are sold separately.





RING COMBINATIONS





PP121347-BT



PP121347

PRISM

DETAILS

Material:
Aluminum

Lamp Shade:
Acrylic

Finishing:
Anodizing +
Painting

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: +50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121347
Wattage:	25W
Voltage:	100-130V
Size:	49.2"L x 4.7"W x 12.5"OAH
Total Lumens:	3150
Delivered Lumens:	1418



PW131524-SDG



PW131525-SDG



PW131524

PW131525

PRISM

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Acrylic

Finishing:
Anodizing +
Painting

Color Temp.: 3000K

CRI (Ra): >90

LED Rated Life: +50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO. PW131524

Wattage: 15W

Voltage: 100-130V

Size: 23.6"L x 3.6"W x 4.7"H

Total Lumens: 630

Delivered Lumens: 440

ITEM NO. PW131525

Wattage: 19W

Voltage: 100-130V

Size: 29.5"L x 3.6"W x 4.7"H

Total Lumens: 800


Delivered Lumens: 560



PP020025-BBK



PP020024-AB





PP020024-AC



PP020025-MH

Color Finish



LANGE

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing + Painting
 Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP020025	PP020024
Wattage:	20W	17W
Voltage:	100-130V	100-130V
Size:	47.2"L x 5.1"W x 123.4"OAH	35.4"L x 5.1"W x 123.4"OAH
Total Lumens:	1800	1470
Delivered Lumens:	857	684



PW030002-BBK



PW030003-MH





PW030003-SN



PW030002-AB

Color Finish



LANGE

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Acrylic
 Finishing: Anodizing + Painting
 Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW030002	PW030003
Wattage:	11W	17W
Voltage:	100-130V	100-130V
Size:	23.6"L x 2.9"W x 4.3"H	35.4"L x 2.9"W x 4.3"H
Total Lumens:	940	1470
Delivered Lumens:	408	658



PW131274-BC



PW131275-BC



PW131274-SDG



PW131273-SDG




PP121372-SDG




PP121372-SN




PP121372-BC




PW131274



PW131275



PW131273



PP121372

Color Finish



FOCUS

DETAILS

Material: Aluminum + Steel

Lamp Shade: Acrylic

Finishing: Anodizing + Baking Finish

Color Temp: 3000K

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)
Vanity can be mounted on wall or ceiling

ITEM NO.	PP121372	PW131274	PW131275	PW131273
Wattage:	6W	6W	12W	18W
Voltage:	100-130V	100-130V	100-130V	100-130V
Size:	4.7" Dia. x 137.8" OAH	5.7" L x 6" W x 7.1" H	18.1" L x 7.2" W x 7.1" H	30" L x 7.2" W x 7.1" H
Total Lumens:	420	420	840	1260
Delivered Lumens:	291	291	585	874






PF150594-SDC



PT140968-SDC



PT140968

PF150594

FOCUS

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Acrylic

Finishing:
Anodizing +
Electroplating

Color Temp.: 3000K

CRI (Ra): >90

LED Rated Life: +50,000 Hours




ITEM NO.	PT140968	PF150594
Wattage:	6W	12W
Voltage:	100-130V	100-130V
Size:	79"L x 8.7"W x 21.9"H	11"Dia. x 63.3"H
Total Lumens:	420	820
Delivered Lumens:	291	569



PP121713-SDG/AB



PP121742-SDG/AB



URANAS

DETAILS


Material: Aluminum + Steel + ABS
 Lamp Shade: Acrylic
 Finishing: Anodizing + Painting + Electroplating

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121713	PP121742
Wattage:	14W	90W (8-light)
Voltage:	100-120V	100-120V
Size:	7.9\"Dia x 92.5\"OAH	28.3\"Dia x 129.2\"OAH
Total Lumens:	1100	8800
Delivered Lumens:	650	5040



PP121767-SDG/AB



PP121768-SDG/AB



PP121767

PP121768

URANAS

DETAILS

Material:
Aluminum + Steel + ABS

Lamp Shade:
Acrylic

Finishing:
Anodizing + Painting
+ Electroplating

Color Temp.: 3000K

CRI (Ra): >90

LED Rated Life: +50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.

Wattage:

Voltage:

Size:

Total Lumens:

Delivered Lumens:

PP121767

39W (3- light)

100-120V

35.4"L x 7.9"W x 130.2"OAH

3300

1890

PP121768

58W (5- light)

100-120V


48.8"L x 7.9"W x 130.2"OAH

5500


3150



PP121362-SDG/CG



PP121360-SDG/CG



PP121362

PP121360

ESSENCE

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Glass

Finishing:
Anodizing +
Plating

Color Temp.: 3000K

CRI (Ra): >90

LED Rated Life: +50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121362	PP121360
Wattage:	12W	36W (3- light)
Voltage:	100-130V	100-130V
Size:	7.1"Dia. x 132.2"OAH	39.4"L x 7.1"W x 131.7"OAH
Total Lumens:	840	2520
Delivered Lumens:	524	975



PC111118-SDG/CG



PW131267-SDG/CG




PT140963-SDG/CG



PT140963-SDG/CG



PT140962-SDG/CG



PC111118

PW131267

ESSENCE

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Glass
 Finishing: Anodizing + Plating

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: =50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PC111118	PW131267
Wattage:	12W	12W
Voltage:	100-130V	100-130V
Size:	7.1" Dia. x 9.8"H	7.1"L x 8.7"W x 13.1"H
Total Lumens:	840	840
Delivered Lumens:	324	324



Touch Dimming



PT140963

PT140962

ESSENCE

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Glass
 Finishes: Anodizing + Plating

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: =50,000 Hours
 Dimming: 100%-10%




ITEM NO.	PT140963	PT140962
Wattage:	7W	7W
Voltage:	DC 5V/2A	DC 5V/2A
Size:	7.1" Dia. x 9.1"H	7.1" Dia. x 17"H
Total Lumens:	270	270
Delivered Lumens:	278	278



PP121364-SDG/SM




PP121365-SDG/SM



PP121363-SDG/SM



PW131268-SDG/SM



PW131268-SDG/SM

CENTURY

DETAILS

Material: Aluminum + Steel
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: Acrylic
LED Rated Life: ≈50,000 Hours
Finishing: Anodizing
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121365	PP121363	PP121364	PW131268
Wattage:	12W	30W (3- light)	40W (4- light)	12W
Voltage:	100-130V	100-130V	100-130V	100-130V
Size:	5.9"Dia. x 132.3"OAH	35.4"L x 5.9"W x 132.7"OAH	49.2"L x 5.9"W x 132.7"OAH	6.3"L x 8.1"W x 12.9"H
Total Lumens:	840	2520	3360	840
Delivered Lumens:	524	973	1297	524



PT140966-SDG/SM



PT140966-SDG/SBN



PT140966

CENTURY

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Acrylic

Finishing:
Anodizing

Color Temp.: 3000K

CRI (Ra): >90

LED Rated Life: +50,000 Hours



ITEM NO.	PT140966
Wattage:	7W
Voltage:	100-240V
Size:	6.3" Dia. x 9.6"H
Total Lumens:	540
Delivered Lumens:	208



PP020152-CM



PP020153-CM




PP020154-CM



PP020152



PP020153



PP020154

ORBIT

DETAILS

Material:
Steel + Acrylic

Lamp Shade:
Acrylic

Finishing:
Electroplating

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: ~50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.

Wattage:

Voltage:

Size:

Total Lumens:

Delivered Lumens:

PP020152

27W

100-130V

20.1" Dia. x 135.4" OAH

2310

1005

PP020153

38W

100-130V

28" Dia. x 135.4" OAH

3100

1345

PP020154

65W

100-130V

28" Dia. x 135.4" OAH

5250



2279




PT040042-CM



PT040043-CM



PT040042



PT040043

ORBIT

DETAILS

Material:
Steel


Lamp Shade:
Acrylic

Finishing:
Electroplating

Color Temp: 3000K

CRI (Ra): ≥90

LED Rated Life: =50,000 Hours



ITEM NO.

PT040042

PT040043

Wattage:

20W

25W

Voltage:

100-240V

100-240V

Size:

15.7"L x 6.3"W x 16"H

19.7"L x 7.1"W x 19.9"H

Total Lumens:


1080

1440

Delivered Lumens:

499

665




PP121223-DT




PP121225-DT




PP121222-DT



PP121223



PP121225



PP121222

DIAMANTE

DETAILS

Material: Aluminum + Cooper + Glass + Stain Steel
 Lamp Shade: Borosilicate Glass
 Finishes: Anodizing

Color Temp.: 2400K, 3000K
 CRI (Ra): ≥90
 LED Rated Life: =50,000 Hours



Dimmable with ELV or TRIAC Dimmer (Not included)

ITEM NO.	PP121223	PP121225	PP121222
Wattage:	28W	40W	28W
Voltage:	100-130V	100-130V	100-130V
Size:	41.3"L x 5.2"W x 127"OAH	127"L x 5.2"W x 127"OAH	7.1Dia. x 171.3"OAH
Total Lumens:	1800	2830	1800
Delivered Lumens:	781	1228	781



PT140948-DT



PF150578-DT



PT140948



PF150578

DIAMANTE

DETAILS

Material: Aluminum + Cooper + Glass + Stain Steel
Lamp Shade: Borosilicate Glass

Finishing: Anodizing

Color Temp.: 2400K

CRI (Ra): >90


LED Rated Life: +50,000 Hours



ITEM NO.	PT140948	PF150578
Wattage:	12W	30W
Voltage:	100-240V	100-240V
Size:	7.9" Dia. x 19.7"H	9.8" Dia. x 50"H
Total Lumens:	900	2400
Delivered Lumens:	391	1042




PP020177-SDG



PP020239-SDG




PW030026-SDG



PW030026



PP020177



PP020239

JAZZ

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing


Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ~50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP020177	PP020239	PW030026
Wattage:	6W	40W (7- light)	6W
Voltage:	100-130V	100-130V	100-130V
Size:	6.3"Dia. x 130"OAH	65.4"L x 6.3"W x 130"OAH	6.3"L x 8"W x 11.1"H
Total Lumens:	420	2870	420
Delivered Lumens:	319	2181	319

PT040061-MB/CW



PT040061

MINIMALISM

DETAILS

Material: Steel
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: Fabric
LED Rated Life: ≈50,000 Hours
Finishing: Painting



ITEM NO.: PT040061
Wattage: 10W
Voltage: 100-240V
Size: 9.8" Dia. x 24.7"H
Total Lumens: 860
Delivered Lumens: 373




PP020243-MB/CW




PP020241-MB/CW




PP020242-MB/CW



PP020243



PP020241



PP020242

MINIMALISM


DETAILS

Material: Steel
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: Fabric
LED Rated Life: ≈50,000 Hours
Finishing: Painting



ITEM NO.	PP020243	PP020241	PP020242
Wattage:	17W	17W	15W
Voltage:	100-130V	100-130V	100-130V
Size:	9.8" Dia. x 144.7" OAH	11.8" Dia. x 146.3" OAH	13.8" Dia. x 143.1" OAH
Total Lumens:	1500	1500	1200
Delivered Lumens:	651	651	521

Dimmable with ELV or TRIAC Dimmer (Not Included)



PP121749-AB



PP121749

RHYTHM

DETAILS

Material:	Steel	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Plating	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121749
Wattage:	35W
Voltage:	100-120V
Size:	11.8" Dia. x 91.4" OAH
Total Lumens:	2800
Delivered Lumens:	2000




PP121610-MB/SG




PP121611-MB/SG




PP121613-MB/SG



PP121610



PP121611



PP121613

EQUATOR


DETAILS

Materials: Aluminum + Steel	Color Temp: 3000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Anodizing + Painting	LED Rated Life: =50,000 Hours
	Dimming: 100% - 10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121610	PP121611	PP121613
Wattage:	27W	33W	60W
Voltage:	100-120V	100-120V	100-120V
Size:	24"Dia. x 121.3"OAH	29.9"Dia. x 121.3"OAH	29.9"Dia. x 134.9"OAH
Total Lumens:	1500	2000	3200
Delivered Lumens:	730	870	1590




PP121606-AB/OBB



PP121607-AB/OBB



PP121606



PP121607

BALLET

DETAILS

Materials:
Aluminum + Steel

Lamp Shade:
Acrylic

Finishing:
Plating +
Painting

Color Temp.: 3000K

CRI (Ra): ≥90


LED Rated Life: ≈50,000 Hours

Dimming: 100% - 10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121606	PP121607
Wattage:	10W	13W
Voltage:	100-120V	100-120V
Size:	15.7" Dia. x 130.7" OAH	19.7" Dia. x 130.7" OAH
Total Lumens:	800	1000
Delivered Lumens:	390	490




PP020170-BC/AL/SDG



PP020169-BC/AL/SDG



Color Finish



PP020170

PP020169

BEAM

DETAILS

Material: Aluminum
 Lamp Shade: Polystyrene
 Finishing: Anodizing



Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP020170	PP020169
Wattage:	52W (6-light)	72W (8-light)
Voltage:	100-130V	100-130V
Size:	38.6"L x 4.7"W x 14.0"OAH	51.2"L x 4.7"W x 14.0"OAH
Total Lumens:	3690	5740
Delivered Lumens:	1601	2491





PP020021-CM




PP020022-CM




PP020097-CM




PW030001-CM



PP020021



PP020022



PP020097



PW030001

TEAR

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Acrylic

Finishing:
Electroplating

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.

PP020021

Wattage:

Voltage:

Size:

Total Lumens:

Delivered Lumens:

PP020022

6 x 4.5W (6-light)

100-130V

23.6"L x 4.7"W x 126.4"OAH

2520

1094

PP020022

9 x 4.5W (9-light)

100-130V

35.4"L x 4.7"W x 126.4"OAH

3780

1641

PP020097

126W (28-light)

100-130V

33.5Dia. x 126.4"OAH

17650

7660



PW030001

5W

100-240V

5.1"Dia. x 12.3"H


420

208





PP120983-VW/CM



PP120983

HALO

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Acrylic

Finishing:
Painting +
Plating

Color Temp: 3000K

CRI (Ra): ≥90


LED Rated Life: ≈50,000 Hours

Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP120983
Wattage:	25W+30W
Voltage:	100-130V
Size:	31.9" Dia. x 121.8" OAH
Total Lumens:	5040
Delivered Lumens:	2288




PP120980-VW/CM




PP120981-VW/CM




PP120982-VW/CM



PP120980



PP120981



PP120982

HALO


DETAILS

Material:	Aluminum + Steel	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Painting + Plating	LED Rated Life:	~50,000 Hours
		Dimming:	100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP120980	PP120981	PP120982
Wattage:	17W	23W	30W
Voltage:	100-130V	100-130V	100-130V
Size:	17.7" Dia. x 121.8" OAH	23.9" Dia. x 121.8" OAH	31.5" Dia. x 121.8" OAH
Total Lumens:	1650	2310	2730
Delivered Lumens:	749	1049	1259




PP121412-PW




PP121413-PW




PP121418-PW



PP121412



PP121413



PP121418

GRAVITY


DETAILS

Material: Aluminum + Steel
 Lamp Shade: Acrylic
 Finishing: Painting
 Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121412	PP121413	PP121418
Wattage:	14W	14W	16W
Voltage:	100-130V	100-130V	100-130V
Size:	16.5" Dia. x 136.7" OAH	19.7" Dia. x 136.7" OAH	23.6" Dia. x 136.7" OAH
Total Lumens:	1050	1050	1260
Delivered Lumens:	857	857	1029



PP121169-MB



PP121170-MH



Color Finish



WILBUR

DETAILS

Material: Aluminum + Steel

Lamp Shade: Aluminum

Finishing: Painting

Color Temp.: 3000K

CRI (Ra): >90


LED Rated Life: +50,000 Hours

Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP121169	PP121170
Wattage:	12W	20W
Voltage:	100-130V	100-130V
Size:	15.7" Dia. x 139" OAH	21.7" Dia. x 139" OAH
Total Lumens:	1050	1820
Delivered Lumens:	857	1486



PP020215-SDC



PP020215

FISHER

DETAILS

Material: Aluminum
 Lamp Shade: PS Diffuser
 Finishing: Anodizing
 Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO. PP020215
 Wattage: 20W
 Voltage: 100-130V
 Size: 13.8" Dia. x 140.4" OAH
 Total Lumens: 1680
 Delivered Lumens: 694



PP121234-DT/AL



PP121235-DT/AL




PP121219-DT/AL/BG




PP121217-DT/AL/BG




PP121221-DT/AL/BG




PP121234




PP121235



PP1212119



PP121217



PP121221

LA BOTELLA

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Glass + Acrylic

Finishing:
Anodizing +
Plating

Color Temp.: 3000K

CRI (Ra): ≥80

LED Rated Life: ≈50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121234	PP121235	PP121219	PP121217	PP121221
Wattage:	35W (7-light)	45W (9-light)	148W (29-light)	184W (36-light)	200W (39-light)
Voltage:	100-130V	100-130V	100-130V	100-130V	100-130V
Size:	32.7"L x 4.7"W x 128"OAH	41.3"L x 4.7"W x 128"OAH	29.5" Dia. x 128"OAH	29.5"L x 29.5"W x 128"OAH	41.3" Dia. x 137.8"OAH
Total Lumens:	2940	3780	12180	15120	16380
Delivered Lumens:	1276	1641	5286	6562	7109





PP121215-SDG

PP121216-SDG



LIGHTHOUSE



DETAILS

Material:	Aluminum	Color Temp.:	3000K
Lamp Shade:	Glass	CRI (Ra):	>80
Finishing:	Anodizing	LED Rated Life:	+50,000 Hours
		Dimming:	100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP121215	PP121216
Wattage:	11W	13W
Voltage:	100-130V	100-130V
Size:	11.8"Dia. x 13.62"OAH	11.8"Dia. x 13.62"OAH
Total Lumens:	900	750
Delivered Lumens:	734	612



PP120244-CM



PP120243-CM



PP120243

PP120244

SPECTER

DETAILS


Material: Stainless Steel + Steel
 Lamp Shade: Acrylic
 Finishing: Plating

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP120243	PP120244
Wattage:	21W	20W
Voltage:	100-130V	100-130V
Size:	15.7"Dia x 132.5"OAH	19.7"Dia x 129.1"OAH
Total Lumens:	1890	1800
Delivered Lumens:	712	678



PP020155-SDG



PP020156-SDG



FORMULA

DETAILS


Material: Aluminum + Acrylic
 Lamp Shade: Acrylic
 Finishing: Anodizing

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)



ITEM NO.	PP020155	PP020156
Wattage:	27W	65W
Voltage:	100-130V	100-130V
Size:	23.6"L x 21.7"W x 135.4"OAH	31.5"L x 29.5"W x 135.4"OAH
Total Lumens:	2310	5250
Delivered Lumens:	1005	2279



PP020017-MH



PP020018-MH



ENSO

DETAILS

Material: Polyurethane + Steel
 Lamp shade: Acrylic
 Finishing: Painting

Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP020019	PP020017	PP020018
Wattage:	20W	52W	35W+52W
Voltage:	100-130V	100-130V	100-130V
Size:	39.4"L x 4.7"W x 123.6"OAH	33.5"Dia x 122"OAH	33.5"Dia x 122"OAH
Total Lumens:	1890	5040	8400
Delivered Lumens:	1125	2165	5795



PP020058-MH



PP020060-BG/MH




PP020059-MH/BBK




PP020059-BBK/MB


Color Finish



PP020058



PP020059



PP020060

PIANO

DETAILS


Material: Aluminum + Steel
Lamp Shade: PS Diffuser
Finishing: Anodizing + Painting

Color Temp.: 3000K
CRl (Ra): >90
LED Rated Life: +50,000 Hours
Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP020058	PP020059	PP020060
Wattage:	15W	28W	39W
Voltage:	100-130V	100-130V	100-130V
Size:	9.8" Dia. x 128.7" OAH	18" Dia. x 133.9" OAH	23.9" Dia. x 135" OAH
Total Lumens:	1470	2730	3600
Delivered Lumens:	637	1182	1559



PP020120-MH/FB



PP020121-MH/FB



PP020121

PP020120

FABRIA


DETAILS

Material: Steel
 Lamp Shade: Fabric + PS Diffuser
 Finishing: Painting
 Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PP020121	PP020120
Wattage:	42W	58W
Voltage:	100-130V	100-130V
Size:	25.6" Dia. x 123.8" OAH	33.5" Dia. x 123.8" OAH
Total Lumens:	3780	4320
Delivered Lumens:	1739	1987



PP120301-DT



PP120302-SDG




PP120303-DT


Color Finish



PP120301



PP120302



PP120303



Add-ons to Change Height of The Light

LEJA

DETAILS

Material: Aluminum
 Lamp Shade: PS Diffuser
 Finishing: Anodizing
 Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PP120301	PP120302	PP120303
Wattage:	23W	29W	48W
Voltage:	100-130V	100-130V	100-130V
Size:	15.7\"/>		
Total Lumens:	1890	2430	4320
Delivered Lumens:	818	1052	1871




PP121134-BMB/BC



PP121134



PP121135-BMB/BC



PP121135

CHESS

DETAILS

Material: Aluminum + Steel
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: Acrylic + Diffuser
LED Rated Life: ~50,000 Hours
Finishing: Baking Finish
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO. PP121134
Wattage: 11W
Voltage: 100-130V
Size: 8.7" Dia. x 140.9" OAH
Total Lumens: 900
Delivered Lumens: 192

CHESS

DETAILS

Material: Aluminum + Steel
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: Acrylic
LED Rated Life: ~50,000 Hours
Finishing: Baking Finish
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO. PP121135
Wattage: 15W
Voltage: 100-130V
Size: 8.7" Dia. x 148" OAH
Total Lumens: 1200
Delivered Lumens: 256



PP121373-CM

PP121373

SECRET

DETAILS

Material: Steel
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: Glass
LED Rated Life: ≈50,000 Hours
Finishing: Plating
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO. PP121373
Wattage: 7W
Voltage: 100-130V
Size: 4.7" Dia x 13.0" OAH
Total Lumens: 700
Delivered Lumens: 245

PP020221-DT



PP020221

ECHO

DETAILS

Material: Aluminum + Steel
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: Glass
LED Rated Life: ≈50,000 Hours
Finishing: Anodizing
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO. PP020221
Wattage: 7.5W
Voltage: 100-130V
Size: 4.7" Dia. x 13.0" OAH
Total Lumens: 750
Delivered Lumens: 265



FLORENCE

DETAILS

Material: Aluminum + Wood
Color Temp.: 3000K
Lamp Shade: PS Diffuser
Finishing: Anodizing
CRI (Ra): ≥90
LED Rated Life: ≈50,000 Hours
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO. PP121285
Wattage: 22W
Voltage: 100-130V
Size: 51.2"L x 4.7"W x 13.1"OAH
Total Lumens: 1890
Delivered Lumens: 767

ELARA


DETAILS

Material: Aluminum
Color Temp.: 3000K
Lamp Shade: PS Diffuser
Finishing: Anodizing
CRI (Ra): ≥80
LED Rated Life: ≈50,000 Hours
Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO. PP120276
Wattage: 42W
Voltage: 100-130V
Size: 43.5"L x 6.5"W x 12.4"OAH
Total Lumens: 3570
Delivered Lumens: 1549



PP121460-SDG



PP121461-SDG



PP121460

PP121461

HOROSCOPE

DETAILS

Material:
Aluminum

Lamp Shade:
Acrylic

Finishing:
Anodizing

Color Temp.: 3000K

CRI (Ra): >90

LED Rated Life: +50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.

PP121460

PP121461

Wattage:

43W

50W

Voltage:

100-130V

100-130V

Size:

33.6"L x 9.3"W x 127.1"OAH

43"L x 9.3"W x 127.1"OAH

Total Lumens:


3360

3900

Delivered Lumens:

2435


2826




PC111129-SDG



PW131311-SDG



PW131311



HOROSCOPE

DETAILS	
Material: Aluminum	Color Temp.: 3000K
Lamp Shade: Acrylic	CRI (Ra): >90
Finishing: Anodizing	LED Rated Life: +50,000 Hours
	Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PC111129	PW131311
Wattage:	6W	6W
Voltage:	100-130V	100-130V
Size:	5.5" Dia. x 24.6"H	4.7"L x 1.8"W x 22"H
Total Lumens:	420	720
Delivered Lumens:	304	504




PW131308-SDG



PW131307-SDG




PW131309-SDG



PW131307



PW131310-SDG



PW131308



PW131309



PW131310

HOROSCOPE


DETAILS

Material:	Aluminum	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Anodizing	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW131307	PW131308	PW131309	PW131310
Wattage:	6W	11 W	16W	27W
Voltage:	100-130V	100-130V	100-130V	100-130V
Size:	5.5" Dia. x 6"H	11.8"L x 5.4"W x 5"H	19.7"L x 5.4"W x 5"H	35.4"L x 5.4"W x 5"H
Total Lumens:	720	840	1260	2100
Delivered Lumens:	504	609	915	1522



PT140980



Touch Dimmer



Up & Down



Adjustable Lamp Head



Touch Dimmer




PF150596-SDG



PT140981-SDG



PT140981



PF150596

HOROSCOPE

DETAILS

Material:
Aluminum

Lamp Shade:
Acrylic

Finishing:
Anodizing

Color Temp.: 3000K

CRI (Ra): >90


LED Rated Life: ≈50,000 Hours




ITEM NO.	PT140980	PT140981	PF150596
Wattage:	6W	6W	6W
Voltage:	100-240V	100-240V	100-240V
Size:	18"L x 6.3"W x 17"H	6.3"Dia. x 16.6"H	8.7"Dia. x 57.1"H
Total Lumens:	420	420	420
Delivered Lumens:	304	304	304




PC111253-SDG



PC111254-SDG



PC111253



PC111254

SYMMETRY

DETAILS

Material: Aluminum + Steel	Color Temp.: 3000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Anodizing + Painting	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)



ITEM NO.	PC111253	PC111254
Wattage:	46W	60W
Voltage:	100-120V	100-120V
Size:	17.7"L x 17.7"W x 2.3"H	23.6"L x 23.6"W x 2.3"H
Total Lumens:	3910	5100
Delivered Lumens:	2200	2900



PC111226-SDG



PC111227-SDG



MIRACLE

DETAILS

Material: Aluminum + Steel + PC

Lamp Shade: Acrylic

Finishing: Anodizing + Painting

Color Temp.: 3000K

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PC111226	PC111227
Wattage:	36W	44W
Voltage:	100-130V	100-130V
Size:	17.7" Dia. x 1.7"H	23.6" Dia. x 1.7"H
Total Lumens:	3060	3740
Delivered Lumens:	1800	2100



PC111276-SBN



PC111277-SBN



LUNA

DETAILS

Material: Steel
 Lamp Shade: Acrylic + PP
 Finishing: Painting
 Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PC111276	PC111277
Wattage:	47W	66W
Voltage:	100-120V	100-120V
Size:	15.8" Dia. x 4"H	19.8" Dia. x 4"H
Total Lumens:	4000	5600
Delivered Lumens:	2280	3200



PC111310-MH



PC111310

ELIO

DETAILS

Material:	Steel	Color Temp.:	3000K
Lamp Shade:	Acrylic	CRI (Ra):	≥90
Finishing:	Painting	LED Rated Life:	≈50,000 Hours
		Dimming:	100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PC111310
Wattage:	44W
Voltage:	100-120V
Size:	15.7\"/>
Estimated Lumens:	3780
Estimated Delivered Lumens:	2150

PC010015-MW



PC010015-MB




PC010013-MW



PC010014-MW

Color Finish



ANELLO

DETAILS

Material: Polyurethane

Lamp Shade: Acrylic

Finishing: Spray Painting

Color Temp.: 3000K


CRI (Ra): ≥90

LED Rated Life: ~50,000 Hours

Dimming: 100%-10%



ITEM NO.	PC010013	PC010014	PC010015
Wattage:	22W	30W	22W+40W
Voltage:	100-130V	100-130V	100-130V
Size:	14.6" Dia. x 2.8"H	18.5" Dia. x 2.8"H	24.4" Dia. x 3.1"H
Total Lumens:	1800	2520	4920
Delivered Lumens:	809	1084	2405




PC111249-SDG



2700K 5000K
Colour temperature dimm: 2700K-5000K



Remote Control



PC111249

ORIZON

DETAILS

Material: Aluminum + Steel	Color Temp.: 2700K-5000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Anodizing + Painting	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%



ITEM NO.	PC111249
Wattage:	40W
Voltage:	100-120V
Size:	17.7"L x 17.7"W x 3.1"H
Total Lumens:	3060
Delivered Lumens:	1530



PC111070-MH



PC111071-SDG



PC111072-DT



PC111080-DT*




PC111081-DT*



PC111082-DT*


* For Specification Quote Only




PC111070




PC111080




PC111071



PC111081




PC111072



PC111082

Color Finish



PAN

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing + Spray Painting
 Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PC111070	PC111080	PC111071	PC111081	PC111072	PC111082
Wattage:	19W	20W	25W	25W	34W	30W
Voltage:	100-130V	100-130V	100-130V	100-130V	100-130V	100-130V
Size:	12"Dia. x 2.8"H	8"L x 8"W x 2.8"H	15.9"Dia. x 3"H	12"L x 12"W x 2.8"H	19.8"Dia. x 3.4"H	15.9"L x 15.9"W x 2.9"H
Total Lumens:	1890	1500	2520	2520	3240	2730
Delivered Lumens:	1055	836	1430	1404	1782	1521



SKYLIGHT

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing

Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PC111145	PC111146	PC111147	PC111148
Wattage:	26W	37W	62W	70W
Voltage:	100-130V	100-130V	100-130V	100-130V
Size:	13.8\"L x 13.8\"W x 1.9\"H	17.7\"L x 17.7\"W x 1.9\"H	23.6\"L x 23.6\"W x 1.9\"H	29.5\"L x 29.5\"W x 1.9\"H
Total Lumens:	2100	3000	5040	5880
Delivered Lumens:	1026	1466	2464	2874



PC111122-SDG



PC111123-MH




PC111150-SN



PC111124-BC

Color Finish




PC111122



PC111123



PC111150



PC111124

SKYLIGHT

DETAILS

Material: Aluminum
 Lamp Shade: Acrylic
 Finishing: Anodizing
 Color Temp.: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PC111122	PC111123	PC111150	PC111124
Wattage:	22W	32W	52W	64W
Voltage:	100-130V	100-130V	100-130V	100-130V
Size:	13.8" Dia. x 1.9"H	17.7" Dia. x 1.9"H	23.6" Dia. x 1.9"H	29.5" Dia. x 1.9"H
Total Lumens:	2520	2700	4410	4590
Delivered Lumens:	1232	1320	2156	2244




PC010068-DT




PC010070-DT




PC010069-DT



PC010068



PC010069



PC010070

MIRAGE

DETAILS

Material: Aluminum
 Lamp Shade: PS Diffuser
 Finishing: Anodizing

Color Temp: 3000K
 CRI (Ra): ≥90
 LED Rated Life: ≈50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PC010068	PC010069	PC010070
Wattage:	20W	31W	54W
Voltage:	100-130V	100-130V	100-130V
Size:	11.8\"L x 11.8\"W x 2.4\"H	17.7\"L x 17.7\"W x 2.4\"H	23.6\"L x 23.6\"W x 3.1\"H
Total Lumens:	1680	2520	4410
Delivered Lumens:	902	1442	2606



FRACTAL COLLECTION

Sleek architectural design with infinity diamond shapes and available with our satin dark gray and brushed champagne premium aluminum finishes. Fractal provides lighting which is both decorative and practical allowing for creativity to shine with the ability to develop a design custom to one's perspective. Easily create a unique and modern pattern on any ceiling or wall surface.



Color Finish

SDG BC

FRACTAL

DETAILS	
Material: Aluminum	Color Temp.: 3000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Anodizing	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%

Dimmable with ELY or TRIAC Dimmer (Not Included)


PC010103-BC PC010104-SDG

PC010107-BC

PC010106-SDG PC010105-BC

PC010103 PC010104 PC010105 PC010106 PC010107


ITEM NO.	PC010103	PC010104	PC010105	PC010106	PC010107
Wattage:	31W	31W	47W	47W	67W
Voltage:	100-130V	100-130V	100-130V	100-130V	100-130V
Size:	22.5"L x 22.5"W x 3.5"H	22.5"L x 22.5"W x 3.5"H	28.4"L x 28.4"W x 3.5"H	33.2"L x 33.2"W x 3.5"H	43.1"L x 43.1"W x 3.5"H
Total Lumens:	2520	2520	4320	2880	5400
Delivered Lumens:	1265	1265	2169	1446	2711




PW030071-PW/MB



PW030072-PW/MB



PW030071



PW030072

DAY & NIGHT

DETAILS

Material:
Steel

Lamp Shade:
Acrylic

Finishing:
Anodizing +
Painting

Color Temp: 3000K

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours

Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW030071	PW030072
Wattage:	8W	8W
Voltage:	100-130V	100-130V
Size:	9.4" Dia. x 3.3"H	9.4" Dia. x 3.3"H
Total Lumens:	630	630
Delivered Lumens:	223	223

ECLIPSE

No matter your space or aesthetic, the Eclipse wall sconce can transform any room, lending itself to virtually any decor. The especially smooth finished aluminum plate creates a sleek and modern look emitting a soft glow. Each finish is vividly shown by the warm backlight emitted, displaying unique patterns and tones when matched in different finishes. Whether it is day or night display accent lighting or wall art with the Eclipse Collection.



PW131159-SDG



PW131159-AL




PW131160-DT



PW131161-MH



Color Finish



ECLIPSE

DETAILS

Material: Aluminum + Steel
Lamp Shade: Acrylic
Finishing: Anodizing + Painting

Color Temp.: 3000K
CRI (Ra): >90
LED Rated Life: +50,000 Hours
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW131159	PW131160	PW131161
Wattage:	8W	11W	15W
Voltage:	100-130V	100-130V	100-130V
Size:	7.1" Dia. x 2"H	9.4" Dia. x 2.4"H	11.8" Dia. x 2.8"H
Total Lumens:	630	900	1260
Delivered Lumens:	255	364	509



PW131271-AB




PW131272-AB

IMPRESSION

Let your design make the most beautiful impression with this versatile and unique wall collection. The warm and elegant antique brass finish highlights Impression, which is available in two sizes. Your wall becomes a sculptural garden of light with this collection of petals illuminated with subtle LED arrays.






PW131139-BC




PW131140-BC



PW131138-BC



PW131271



PW131272

IMPRESSION


DETAILS

Material: Steel
Color Temp.: 3000K
CRI (Ra): >90
Lamp Shade: PS
LED Rated Life: >50,000 Hours
Finishing: Plating
Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PW131271	PW131272
Wattage:	8W	11W
Voltage:	100-130V	100-130V
Size:	11.8\"Dia. x 5.1\"H	19.7\"Dia. x 5.1\"H
Total Lumens:	600	900
Delivered Lumens:	247	371



PW131138



PW131139



PW131140

SHIELD

DETAILS

Material: Steel
Color Temp.: 3000K
CRI (Ra): >90
Lamp Shade: Acrylic
LED Rated Life: >50,000 Hours
Finishing: Painting
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PW131138	PW131139	PW131140
Wattage:	8W	12W	16W
Voltage:	100-130V	100-130V	100-130V
Size:	7.1\"Dia. x 2.7\"H	9.4\"Dia. x 3.1\"H	11.8\"Dia. x 3.5\"H
Total Lumens:	600	900	1200
Delivered Lumens:	186	279	372



PW131014-DT



PW131015-SDG



PW131014

PW131015

Color Finish



ARC

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Acrylic
 Finishing: Anodizing + Painting

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours



Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PW131014	PW131015
Wattage:	3.5W	7W
Voltage:	100-130V	100-130V
Size:	4.7\"/>	



PW131010-SDG




PW131011-AB



PW131010-MH



PW131011-AL



PW131010

PW131011

Color Finish



PANDORA

DETAILS

Material: Aluminum + Steel
 Lamp Shade: Aluminum
 Finishing: Anodizing + Painting + Plating

Color Temp.: 3000K
 CRI (Ra): >90
 LED Rated Life: +50,000 Hours
 Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)




PW131010-DT

PW131011-DT

ITEM NO.	PW131010	PW131011
Wattage:	11W	11W
Voltage:	100-130V	100-130V
Size:	4.7\"/>	




PW131010-BLACK-OD
OUTDOOR



PW131010-OD



PW131472-BLACK-OD
OUTDOOR



PW131472-OD



PANDORA

DETAILS

Material: Aluminum + Steel
Color Temp.: 3000K
Lamp Shade: PC
Finishing: Painting

CRI (Ra): >90
LED Rated Life: =50,000 Hours
Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.: PW131010-OD
Wattage: 11W
Voltage: 100-130V
Size: 4.7"L x 5.9"W x 4.7"H
Total Lumens: 450
Delivered Lumens: 220

ARC

DETAILS

Material: Aluminum
Color Temp.: 3000K
Lamp Shade: Glass + Acrylic
Finishing: Painting

CRI (Ra): >90
LED Rated Life: =50,000 Hours




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.: PW131472-OD
Wattage: 7W
Voltage: 100-130V
Size: 4.7"L x 3.7"W x 5.4"H
Total Lumens: 620
Delivered Lumens: 259




PW130118-AL



PW130118



PW130107-CM/AL



PW130107



Retractable Lamp Head



RENZO (For Specification Quote Only)

DETAILS

Material:
Aluminum

Lamp Shade:
Aluminum

Finishing:
Anodizing



ITEM NO. PW130118
Wattage: E12 LED 50W, 2x25W Max*
Voltage: 100-130V
Size: 4.7"L x 3.7"W x 15.7"H

*Bulbs not included

VANITY MIRROR

DETAILS

Material:
Aluminum + Steel


Lamp Shade:
Glass

Finishing:
Anodizing +
Electroplating


Color Temp.: 3000K

CRI (Ra): ≥90


LED Rated Life: =50,000 Hours



ITEM NO. PW130107
Wattage: 85W
Voltage: 100-240V
Size: 10.2"Dia. x 15.8"H
Total Lumens: 790
Delivered Lumens: 341



PW131088



PW130998

JOSEPHINE

DETAILS

Material:
Aluminum + Steel


Color Temp.: 3000K

CRI (Ra): ≥90

Lamp Shade:
Fabric

LED Rated Life: ≈50,000 Hours

Finishing:
Anodizing



ITEM NO. PW131088

Wattage: LED 10W / E12 LED 1 x 4W MAX

Voltage: 100-130V

Size: 6.3"L x 8.8"W x 11.2"H

WATER LILY

DETAILS

Material:
Aluminum + Steel

Color Temp.: 3000K

CRI (Ra): ≥90

Lamp Shade:
Acrylic

LED Rated Life: ≈50,000 Hours

Finishing:
Spray Painting



ITEM NO. PW130998


Wattage: 3W+8W

Voltage: 100-240V


Size: 9.4" Dia. x 7.5"H

Total Lumens: 960

Delivered Lumens: 666



PW030051



PW030052



PW030051-SDG/CL



PW030052-SDG/CL

CIRCUIT


DETAILS

Material: Aluminum	Color Temp.: 3000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Anodizing	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW030051	PW030052
Wattage:	9W	10W
Voltage:	100-130V	100-130V
Size:	11.8" Dia. x 1.9"H	15.7" Dia. x 1.9"H
Total Lumens:	1050	1050
Delivered Lumens:	452	452



PW131013



PW131030



PW131013-VW/CM



PW131030-VW/CM



Light Direct Towards Wall | Light Direct On The Front | Light Direct On The Front

SOMBRERO


DETAILS

Material: Aluminum + Steel	Color Temp.: 3000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Painting + Plating	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)


ITEM NO.	PW131013	PW131030
Wattage:	12W	21W
Voltage:	100-130V	100-130V
Size:	13.8" Dia. x 3.9"H	17.7" Dia. x 3.9"H
Total Lumens:	750	1680
Delivered Lumens:	266	595



PW131038



PW131039



PW131296



PW131038-SDG



PW131039-SDG



PW131296-SDG



Rotatable Lamp Head

VARIETY


DETAILS

Material: Aluminum	Color Temp.: 3000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Anodizing	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%




Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW131038	PW131039	PW131296
Wattage:	14W	21W	28W
Voltage:	100-130V	100-130V	100-130V
Size:	9.8"L x 6"W x 4.7"H	15.7"L x 6"W x 4.7"H	22.8"L x 5.8"W x 4.7"H
Total Lumens:	1200	1800	2520
Delivered Lumens:	545	817	1144



PW131002



PW131003



PW131002-MH




PW131002-SDG



PW131003-AL

Color Finish



SONARA

DETAILS


Material: Aluminum + Steel	Color Temp.: 3000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Anodizing + Painting	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PW131002	PW131003
Wattage:	11W	19W
Voltage:	100-130V	100-130V
Size:	23.6"L x 3.5"W x 4.7"H	35.2"L x 3.5"W x 4.7"H
Total Lumens:	1050	1800
Delivered Lumens:	431	738

PT140192-SN/WH



PT140192

NERO

DETAILS

Material: Steel

Lamp Shade: Fabric

Finishing: Electroplating



ITEM NO. PT140192
Wattage: E26 LED 12W MAX
Voltage: 100-130V
Size: 10.2" Dia. x (21.3"-26.8") OAH

PF150082-SN/WH



PF150082


NERO

DETAILS

Material: Steel

Lamp Shade: Fabric


Finishing: Electroplating




ITEM NO. PF150082
Wattage: E26 LED 12W MAX
Voltage: 100-130V
Size: 11.8" Dia. x (54"-64.6") OAH



PF050481-CM/WH



PT040743



PF050481

SLEEKER

DETAILS

Material:
Steel

Lamp Shade:
Fabric

Finishing:
Plating



ITEM NO.	PT040743	PF050481
Wattage:	E26 LED, 12W Max	E26 LED, 12W Max
Voltage:	100-130V	100-130V
Size:	12.6" Dia. x 24"H	15.7" Dia. x 61.4"H
		Bulbs not included



PT140930

WALDORF

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Fabric + Acrylic

Finishing:
Anodizing +
Painting


Color Temp.: 3000K

CRI (Ra): >90

LED Rated Life: =50,000 Hours



ITEM NO.	PT140930
Wattage:	8W
Voltage:	100-240V
Size:	12.6"L x 14.2"W x 23.8"H
Total Lumens:	600
Delivered Lumens:	181



PT140920



PT140920-DT/BK



FABIO

DETAILS

Material:
Aluminum + Glass

Color Temp.: 3000K

Lamp Shade:
Fabric + Acrylic

CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours


Finishing:
Anodizing



ITEM NO.	PT140920
Wattage:	10W
Voltage:	100-240V
Size:	12.6" Dia. x 21.1"H
Total Lumens:	720
Delivered Lumens:	217



PT140918-DT/CC



PT140918

QUINTAS

DETAILS

Material:
Aluminum + Glass

Color Temp.: 3000K

Lamp shade:
Fabric + Acrylic



CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours

Finishing:
Anodizing



ITEM NO.	PT140918
Wattage:	15W
Voltage:	100-240V
Size:	13.4" Dia. x 19.8"H
Total Lumens:	1080
Delivered Lumens:	325



PT140914

ELISA

DETAILS

Material:
Aluminum + Polyurethane


Color Temp.: 3000K

Lamp Shade:
Fabric + Acrylic


CRI (Ra): ≥90

LED Rated Life: ≈50,000 Hours


Finishing:
Anodizing +
Painting



ITEM NO.	PT140914
Wattage:	10W
Voltage:	100-240V
Size:	13.4" Dia. x 20.6"H
Total Lumens:	720
Delivered Lumens:	217



PT040001



PT040002



PT040001-CM



PT040002-CM




PHOEBE

DETAILS

Material: Steel
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: Acrylic
LED Rated Life: ≈50,000 Hours
Finishing: Electroplating



ITEM NO.	PT040001	PT040002
Wattage:	13W	15W
Voltage:	100-240V	100-240V
Size:	4.4" Dia. x 16"H	5.6" Dia. x 20"H
Total Lumens:	1050	1260
Delivered Lumens:	456	547



PT140934



PT140934-DT




HELENE

DETAILS


Material: Aluminum
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: Acrylic
LED Rated Life: ≈50,000 Hours
Finishing: Anodizing



ITEM NO.	PT140934
Wattage:	26W
Voltage:	100-240V
Size:	17.7"L x 8.3"W x 17.9"H
Total Lumens:	2100
Delivered Lumens:	903



PT040013



PT040014



PT040013-DT/CW



PT040014-DT/CW




BAMBI

DETAILS

Material: Aluminum
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp shade: Fabric + Acrylic
LED Rated Life: ≈50,000 Hours
Finishing: Anodizing



ITEM NO.	PT040013	PT040014
Wattage:	9W	14W
Voltage:	100-240V	100-240V
Size:	9.8" Dia. x 17.9"H	14.2" Dia. x 21.7"H
Total Lumens:	750	1050
Delivered Lumens:	226	316



PT140864



PT140864-CM/PW



OPTICS

DETAILS


Material: Aluminum
Color Temp.: 3000K
CRI (Ra): ≥90
Lamp Shade: PS Diffuser
LED Rated Life: ≈50,000 Hours
Finishing: Spray Painting



ITEM NO.	PT140864
Wattage:	6W
Voltage:	100-240V
Size:	22"L x 6.3"W x 17.8"H
Total Lumens:	600
Delivered Lumens:	238



PF150625-SAB



PF150625

LEORA

DETAILS

Material: Aluminum	Color Temp.: 3000K
Lamp Shade: Acrylic	CRI (Ra): ≥90
Finishing: Anodizing	LED Rated Life: ≈50,000 Hours
	Dimming: 100%-10%



Dimmable with ELV or TRIAC Dimmer (Not Included)

ITEM NO.	PF150625
Wattage:	23W
Voltage:	100-240V
Size:	7.9" Dia. x 55.2"H
Estimated Lumens:	2160
Estimated Delivered Lumens:	950



PF150571-DT/CG




PF150571



PT140931-DT/CG



PT140931



Rotatable Pole

MIKA

DETAILS

Material:
Aluminum

Lamp Shade:
Fabric

Finishing:
Anodizing

Color Temp.: 3000K

CRI (Ra): >90

LED Rated Life: >50,000 Hours





ITEM NO.	PF150571	PT140931
Wattage:	13W	8W
Voltage:	100-240V	100-240V
Size:	15.7" Dia. x 61.6"H	11.8" Dia. x 20.7"H
Total Lumens:	1200	720
Delivered Lumens:	361	217




PF050006-BC/WH



PT040033-BC/WH



PF050006



PT040033

VERA

DETAILS

Material:
Aluminum + Steel

Lamp Shade:
Fabric

Finishing:
Painting



ITEM NO.

PT040033

Wattage:

E26 LED, 12W Max

Voltage:

100-130V

Size:

11.8" Dia. x (18.1"-24.3") OAH

ITEM NO.

PF050006

Wattage:

E26 LED, 12W Max

Voltage:

100-130V

Size:

15.7" Dia. x (43.3"-69.4") OAH

Bulbs not included

RINGO

DETAILS

Material:
Aluminum

Lamp Shade:
Fabric

Finishing:
Anodizing



PT140940-DT/CW



PT140940

DETAILS

Material:
Aluminum

Lamp Shade:
Fabric

Finishing:
Anodizing

ITEM NO.

PT140940

Wattage:

E26 LED, 8W Max

Voltage:

100-130V


Size:

11.8" Dia. x (22"-31") OAH

Bulbs not included



PF150587-RO/CW



PF150587



SIGNAL

DETAILS

Material:
Steel + Wood

Lamp Shade:
Fabric + Acrylic

Finishing:
Plating

Color Temp.: 3000K

CRI (Ra): >90

LED Rated Life: ≈50,000 Hours



ITEM NO.	PF150587
Wattage:	15W
Voltage:	100-240V
Size:	38.4" Dia. x 72" OAH
Total Lumens:	1260
Delivered Lumens:	387

MEASUREMENTS

PENDANT & CHANDELIER FIXTURES

Measurement Format 1: (D) Diameter x (OAH) Overall Hanging Height from Ceiling

Measurement Format 2: (L) Length x (W) Width x (OAH) Overall Hanging Height from Ceiling

Other: (MIH) Minimum Hanging Height from Ceiling

Item Code	Measurements	Minimum	Installed Weight (lb)	Extra Info
PP020016	D-23.6" x OAH-122"	MIH-15"	8.8	
PP020017	D-33.5" x OAH-122"	MIH-20"	15.0	
PP020018	D-33.5" x OAH-122"	MIH-30"	20.3	
PP020019	L-39.4" x W-4.7" x OAH-123.6"	MIH-7.5"	6.8	
PP020021	L-23.6" x W-4.7" x OAH-126.4"	MIH-11.5"	7.3	
PP020022	L-35.4" x W-4.7" x OAH-126.4"	MIH-11.5"	10.8	
PP020024	L-35.4" x W-5.1" x OAH-125"	MIH-7"	7.1	BBK Finish (OAH) 59"
PP020025	L-47.2" x W-5.1" x OAH-125"	MIH-7"	8.6	BBK Finish (OAH) 59"
PP020058	D-9.8" x OAH-128.7"	MIH-13"	4.0	
PP020059	D-18" x OAH-133.9"	MIH-18.1"	11.2	
PP020060	D-23.9" x OAH-135"	MIH-18.1"	16.8	
PP020097	D-33.5" x OAH-126.4"	MIH-11.5"	50.7	
PP020109	D-39.4" x OAH-120.5"	MIH-40"	32.0	
PP020110	D-39.4" x OAH-120.5"	MIH-38"	26.5	
PP020111	D-31.5" x OAH-120.5"	MIH-30"	19.6	
PP020112	D-31.5" x OAH-120.5"	MIH-17"	15.4	
PP020113	D-23.6" x OAH-120.5"	MIH-22"	10.8	
PP020114	L-47.2" x W-4.7" x OAH-129.9"	MIH-15"	11.7	
PP020115	L-59" x W-4.7" x OAH-129.9"	MIH-15"	15.2	
PP020120	D-25.6" x OAH-123.8"	MIH-18"	27.6	
PP020121	D-33.5" x OAH-123.8"	MIH-15"	21.6	
PP020127	L-45.7" x W-6.3" x OAH-59"	MIH-11"	18.0	
PP020152	D-20.1" x OAH-135.4"	MIH-18.75"	9.9	
PP020153	D-28" x OAH-135.4"	MIH-18.75"	13.7	
PP020154	D-28" x OAH-135.4"	MIH-18.75"	15.9	
PP020155	L-23.6" x W-21.7" x OAH-135.4"	MIH-18"	9.9	
PP020156	L-31.5" x W-29.5" x OAH-135.4"	MIH-18"	16.1	
PP020169	L-51.2" x W-4.7" x OAH-59"	MIH-24"	19.6	
PP020170	L-38.6" x W-4.7" x OAH-59"	MIH-24"	13.9	
PP020177	D-6.3" x OAH-131.5"	MIH-11.5"	13.0	
PP020203	L-32" x W-33.9" x OAH-118"	MIH-28.5"	16.1	
PP020211	L-39.5" x W-4.7" x OAH-138.8"	MIH-22"	10.8	
PP020212	L-55.2" x W-4.7" x OAH-138.8"	MIH-22"	15.9	
PP020213	D-36.5" x OAH-118"	MIH-22"	50.3	
PP020215	D-13.8" x OAH-140.4"	MIH-24.2"	5.1	
PP020217	L-71.8" x W-13.8" x OAH-146.9"		7.5	
PP020221	D-4.7" x OAH-59"	MIH-10"	2.2	
PP020236	L-41.3" x W-33.5" x OAH-125.2"	MIH-20"	60.2	
PP020237	L-31.5" x W-23.6" x OAH-125.2"	MIH-20"	48.0	
PP020238	L-51.2" x W-13.8" x OAH-125.2"	MIH-20"	34.0	

PENDANT & CHANDELIER FIXTURES

Measurement Format 1: (D) Diameter x (OAH) Overall Hanging Height from Ceiling

Measurement Format 2: (L) Length x (W) Width x (OAH) Overall Hanging Height from Ceiling

Other: (MIH) Minimum Hanging Height from Ceiling

Item Code	Measurements	Minimum	Installed Weight (lb)	Extra Info
PP020239	L-65.4" x W-6.3" x OAH-59"	MIH-11"	18.1	
PP020241	D-11.8" x OAH-146.3"	MIH-32"	10.0	
PP020242	D-13.8" x OAH-143.1"	MIH-27.5"	10.0	
PP020243	D-9.8" x OAH-144.7"	MIH-30"	8.0	
PP020244	L-20.5" x W-19.7" x OAH-122.9"	MIH-16"	7.0	
PP020245	L-26.8" x W-25.6" x OAH-122.9"	MIH-16"	10.0	
PP020246	L-32.7" x W-31.5" x OAH-122.9"	MIH-16"	10.0	
PP020247	L-21.7" x W-19.7" x OAH-122.9"	MIH-16"	8.0	
PP020248	L-27.6" x W-25.6" x OAH-122.9"	MIH-16"	10.0	
PP020249	L-33.5" x W-31.5" x OAH-122.9"	MIH-16"	10.6	
PP020250	L-26.8" x W-25.6" x OAH-122.9"	MIH-23"	13.0	
PP020251	L-32.7" x W-31.5" x OAH-122.9"	MIH-23"	18.0	
PP020252	L-27.6" x W-25.6" x OAH-122.9"	MIH-23"	16.0	
PP020253	L-33.5" x W-31.5" x OAH-122.9"	MIH-23"	18.0	
PP120048	D-23.9" x OAH-121.8"	MIH-14.5"	19.8	
PP120099	D-4.7" x OAH-139"	MIH-25.5"	2.2	
PP120102	L-27.6" x W-4.7" x OAH-140.3"	MIH-24.2"	9.3	
PP120103	D-13.8" x OAH-137.4"		10.1	
PP120105	D-25.6" x OAH-139"	MIH-24.2"	36.6	
PP120243	D-15.7" x OAH-59"	MIH-17"	20.9	
PP120244	D-19.7" x OAH-59"	MIH-13.5"	17.7	
PP120276	L-43.5" x W-6.5" x OAH-59"	MIH-9"	12.0	DT Finish (OAH) 59"
PP120280	L-25.6" x W-21.7" x OAH-127.6"	MIH-12"	10.8	DT Finish (OAH) 59"
PP120281	L-31.5" x W-27.6" x OAH-127.6"	MIH-12"	14.1	DT Finish (OAH) 59"
PP120282	L-31.5" x W-27.6" x OAH-127.6"	MIH-17"	17.5	DT Finish (OAH) 59"
PP120283	L-27.6" x W-23.6" x OAH-127.6"	MIH-12"	11.8	DT Finish (OAH) 59"
PP120284	L-33.5" x W-29.6" x OAH-127.6"	MIH-12"	21.1	BG Finish (OAH) 59"
PP120285	L-33.5" x W-29.6" x OAH-127.6"	MIH-17"	21.1	DT Finish (OAH) 59"
PP120286	L-35.4" x W-4.7" x OAH-124.8"	MIH-10"	7.2	DT Finish (OAH) 59"
PP120287	L-47.2" x W-4.7" x OAH-124.8"	MIH-10"	8.1	DT Finish (OAH) 59"
PP120288	L-59" x W-4.7" x OAH-124.8"	MIH-10"	11.2	
PP120301	D-15.7" x OAH-61.4"	MIH-18"	7.0	
PP120302	D-19.7" x OAH-61.4"	MIH-18"	9.4	
PP120303	D-23.6" x OAH-61.4"	MIH-18"	12.0	
PP120980	D-17.7" x OAH-59"	MIH-9.5"	11.5	
PP120981	D-23.9" x OAH-59"	MIH-9.5"	14.3	
PP120982	D-31.5" x OAH-121.8"	MIH-9.5"	18.1	
PP120983	D-31.9" x OAH-121.8"	MIH-15"	26.1	
PP120984	D-31.9" x OAH-137.8"	MIH-32.5"	30.6	
PP121040	D-33.5" x OAH-118.1"	MIH-24.2"	58.6	
PP121060	L-27.6" x W-7.5" x OAH-137.4"		14.6	

MEASUREMENTS

PENDANT & CHANDELIER FIXTURES

Measurement Format 1: (D) Diameter x (OAH) Overall Hanging Height from Ceiling

Measurement Format 2: (L) Length x (W) Width x (OAH) Overall Hanging Height from Ceiling

Other: (MIH) Minimum Hanging Height from Ceiling

Item Code	Measurements	Minimum	Installed Weight (lb)	Extra Info
PP121090	L-45.3" x W-7.5" x OAH-137.4"		25.4	
PP121121	L-30.5" x W-17.7" x OAH-127.6"	MIH-12"	12.2	BG Finish (OAH) 59"
PP121134	D-8.7" x OAH-140.9"	MIH-26.3"	6.4	
PP121135	D-8.7" x OAH-59"	MIH-32.5"	8.7	
PP121136	D-5.1" x OAH-59"	MIH-26.3"	5.0	
PP121153	L-30.7" x W-17.7" x OAH-127.6"	MIH-17"	15.6	DT Finish (OAH) 59"
PP121169	D-15.7" x OAH-127.3"	MIH-22.3"	6.3	MB Finish (OAH) 59"
PP121170	D-21.7" x OAH-128.8"	MIH-23.8"	10.9	MB Finish (OAH) 59"
PP121208	D-25.6" x OAH-133.1"	MIH-22"	37.2	
PP121215	D-11.8" x OAH-136.2"	MIH-22"	7.7	
PP121216	D-11.8" x OAH-136.2"	MIH-22"	9.5	
PP121217	L-29.5" x W-29.5" x OAH-128"	MIH-12"	52.5	
PP121219	D-29.5" x OAH-128"	MIH-12"	42.8	
PP121221	L-29.5" x W-29.5" x OAH-137.8"	MIH-12"	67.2	
PP121222	D-7.1" x OAH-71"	MIH-69.5"	21.0	
PP121223	L-41.3" x W-5.2" x OAH-59"	MIH-14.5"	18.3	
PP121225	L-59" x W-5.2" x OAH-59"	MIH-14.5"	28.0	
PP121234	L-32.7" x W-4.7" x OAH-59"	MIH-12.5"	8.1	
PP121235	L-41.3" x W-4.7" x OAH-59"	MIH-12.5"	10.0	
PP121285	L-51.2" x W-4.7" x OAH-59"	MIH-14"	8.0	
PP121347	L-49.2" x W-4.7" x OAH-59"	MIH-7"	7.5	
PP121360	L-39.4" x W-7.1" x OAH-59"	MIH-16"	10.0	
PP121362	D-7.1" x OAH-132.2"	MIH-16"	6.0	
PP121363	L-35.4" x W-5.9" x OAH-59"	MIH-16"	8.0	
PP121364	L-49.2" x W-5.9" x OAH-59"	MIH-16"	10.0	
PP121365	D-5.9" x OAH-59"	MIH-16"	5.0	
PP121372	D-4.7" x OAH-137.6"	MIH-25.5"	2.7	
PP121373	D-4.7" x OAH-59"	MIH-10"	3.8	
PP121396	D-33.5" x OAH-118.1"	MIH-24.2"	58.6	
PP121412	D-16.5" x OAH-136.7"	MIH-24.5"	6.0	
PP121413	D-19.7" x OAH-136.7"	MIH-24.5"	8.0	
PP121418	D-23.6" x OAH-136.7"	MIH-26.75"	30.0	
PP121423	L-33.5" x W-19.7" x OAH-139.3"	MIH-27"	17.0	
PP121424	L-43.3" x W-23.6" x OAH-147.2"	MIH-35"	25.0	
PP121460	L-33.6" x W-9.3" x OAH-127.1"	MIH-12.5"	8.0	
PP121461	L-43" x W-9.3" x OAH-127.1"	MIH-12.5"	9.0	
PP121462	L-51.3" x W-4.7" x OAH-131.7"	MIH-16"	5.5	
PP121463	L-53.1" x W-29.5" x OAH-154.1"	MIH-41"	30.0	
PP121493	D-5.9" x OAH-138.6"		2.2	
PP121498	D-23.6" x OAH-145.7"		26.5	
PP121562	L-17.7" x W-5.9" x OAH-144.1"		4.0	

PENDANT & CHANDELIER FIXTURES

Measurement Format 1: (D) Diameter x (OAH) Overall Hanging Height from Ceiling

Measurement Format 2: (L) Length x (W) Width x (OAH) Overall Hanging Height from Ceiling

Other: (MIH) Minimum Hanging Height from Ceiling

Item Code	Measurements	Minimum	Installed Weight (lb)	Extra Info
PP121563	D-25.6" x OAH-122"		7.5	
PP121564	D-31.5" x OAH-122"		9.3	
PP121565	L-48.2" x W-5.9" x OAH-132.7"		10.1	
PP121606	D-15.7" x OAH-130.7"		3.3	
PP121607	D-19.7" x OAH-130.7"		4.0	
PP121610	D-24" x OAH-121.3"		5.7	
PP121611	D-29.9" x OAH-121.3"		6.8	
PP121613	D-29.9" x OAH-131.9"		10.8	
PP121618	L-23.6" x W-6.3" x OAH-129.9"		13.9	
PP121619	L-35.4" x W-6.3" x OAH-129.9"		20.1	
PP121634	D-6.9" x OAH-134.8"		3.1	
PP121713	D-7.9" x OAH-92.5"		1.9	
PP121715	D-4.7" x OAH-95.5"		1.9	
PP121728	D-4.7" x OAH-91.7"		1.0	
PP121742	D-28.3" x OAH-129.2"		22.0	
PP121745	D-21.5" x OAH-122.5"		14.8	
PP121749	D-11.8" x OAH-91.4"		4.6	
PP121753	D-11.8" x OAH-128.3"		12.6	
PP121755	D-31.5" x OAH-128.3"		30.9	
PP121767	L-35.4" x W-7.9" x OAH-130.2"		6.6	
PP121768	L-48" x W-7.9" x OAH-130.2"		10.1	
PP121769	L-18.9" x W-5.9" x OAH-132"		5.1	
PP121772	L-46.2" x W-5.9" x OAH-132"		15.4	
PP121774	L-74.8" x W-5.9" x OAH-132"		30.9	
PP121806	L-18.9" x W-5.9" x OAH-128.3"		5.5	
PP121807	L-34.6" x W-5.9" x OAH-128.3"		9.5	
PP121908	L-8.2" x W-5.9" x OAH-86.6"		3.3	
PP121912	D-13.8" x OAH-135.0"		11.0	
PP121914	D-23.6" x OAH-135.0"		26.4	
PP121931	D-8.1" x OAH-91.7"		4.4	
PP121940	D-19.7" x OAH-128.0"		17.6	
PP121548	D-31.5" x OAH-126.0"		13.6	
PP121546	D-23.6" x OAH-126.0"		9.9	
PP121727	L-8.7" x W-4.7" x OAH-97.6"		2.6	
PP121795	D-31.5" x OAH-129.9"		15.4	
PP121794	D-23.6" x OAH-122.0"		7.7	
PP121743	D-4.7" x OAH-92.5"		2.2	
PP121828	L-47.2" x W-4.7" x OAH-121.5"		8.4	
PP121970	D-4.3" x OAH-78.7"		1.1	
PP121968	D-15.7" x OAH-129.9"		24.2	
PP121969	D-29.57" x OAH-129.9"		57.2	

MEASUREMENTS

CEILING FIXTURES

Measurement Format 1: (D) Diameter x (H) Height from Ceiling

Measurement Format 2: (L) Length x (W) Width x (H) Height from Ceiling

Item Code	Measurements	Installed Weight (lb)	Item Code	Measurements	Installed Weight (lb)
PC010013	D-14.6" x H-2.8"	7.5	PC111123	D-17.7" x H-1.9"	9.0
PC010014	D-18.5" x H-2.8"	9.5	PC111124	D-29.5" x H-1.9"	12.0
PC010015	D-24.4" x H-3.1"	16.5	PC111129	D-5.5" x H-24.6"	3.0
PC010068	L-11.8" x W-11.8" x H-2.4"	4.4	PC111145	L-13.8" x W-13.8" x H-1.9"	7.0
PC010069	L-17.7" x W-17.7" x H-2.4"	8.6	PC111146	L-17.7" x W-17.7" x H-1.9"	11.0
PC010070	L-23.6" x W-23.6" x H-3.1"	13.3	PC111147	L-23.6" x W-23.6" x H-1.9"	10.0
PC010103	L-22.5" x W-22.5" x H-3.5"	7.5	PC111148	L-29.5" x W-29.5" x H-1.9"	12.0
PC010104	L-22.5" x W-22.5" x H-3.5"	7.5	PC111150	D-23.6" x H-1.9"	9.0
PC010105	L-28.4" x W-28.4" x H-3.5"	9.9	PC111226	D-17.7" x H-1.7"	2.6
PC010106	L-33.2" x W-33.2" x H-3.5"	13.5	PC111227	D-23.6" x H-1.7"	2.9
PC010107	L-43.1" x W-43.1" x H-3.5"	18.1	PC111249	L-17.7" x W-17.7" x H-3.1"	7.0
PC111070	D-12" x H-2.8"	5.0	PC111253	L-17.7" x W-17.7" x H-2.3"	4.6
PC111071	D-15.9" x H-3"	7.0	PC111254	L-23.6" x W-23.6" x H-2.3"	6.2
PC111072	D-19.8" x H-3.4"	12.0	PC111276	D-15.8" x H-4"	16.3
PC111080	L-8" x W-8" x H-2.8"	2.9	PC111277	D-19.8" x H-4"	18.0
PC111081	L-12" x W-12" x H-2.8"	6.1	PC111317	D-17.7" x H-2.1"	9.9
PC111082	L-15.9" x W-15.9" x H-2.9"	9.3	PC111343	D-17.7" x H-2.7"	8.8
PC111118	D-7.1" x H-9.8"	5.0	PC111344	D-23.6" x H-2.7"	15.4
PC111122	D-13.8" x H-1.9"	6.0			

WALL SCONCES

Measurement Format 1: (D) Diameter x (E) Extention from Wall

Measurement Format 2: (W) Width x (H) Height x (E) Extention from Wall

Adjustable: (OAE) Overall Extention from Wall | (MIE) Minimum Extention from Wall

Item Code	Measurements	Installed Weight (lb)	Item Code	Measurements	Installed Weight (lb)
PW030001	D-5.1" x H-12.3"	2.2	PW130998	D-9.4" x E-7.5"	2.2
PW030026	W-6.3" x H-11.1" x E-8"	3.8	PW131010	W-4.7" x H-4.7" x E-5.1"	2.0
PW030027	W-19.7" x H-4.7" x E-2.6"	3.3	PW131011	W-4.7" x H-4.7" x E-5.9"	2.0
PW030028	W-27.6" x H-4.7" x E-2.6"	4.0	PW131013	D-13.8" x E-3.9"	2.7
PW030029	W-43.3" x H-4.7" x E-2.6"	4.2	PW131014	W-4.7" x H-4.7" x E-3.7"	1.4
PW030051	D-11.8" x E-1.9"	3.5	PW131015	W-4.7" x H-5.4" x E-3.7"	2.2
PW030052	D-15.7" x E-1.9"	5.1	PW131030	D-17.7" x E-3.9"	6.3
PW030071	D-9.4" x E-3.3"	3.5	PW131088	W-6.3" x H-11.2" x E-8.8"	3.8
PW030072	D-9.4" x E-3.3"	3.5	PW131123	W-5.3" x H-47.2" x E-4.4"	7.1
PW130107	D-10.2" x E-15.8"	5.1	PW131125	W-5.3" x H-59" x E-5.3"	9.0
PW130118	W-4.7" x H-15.7" x E-3.7"	2.2	PW131126	W-5.3" x H-59" x E-5.3"	9.0

WALL SCONCES

Measurement Format 1: (D) Diameter x (E) Extention from Wall

Measurement Format 2: (W) Width x (H) Height x (E) Extention from Wall

Adjustable: (OAE) Overall Extention from Wall | (MIE) Minimum Extention from Wall

Item Code	Measurements	Installed Weight (lb)	Item Code	Measurements	Installed Weight (lb)
PW131138	D-7.1" x E-2.7"	2.0	PW131318	W-22.6" x H-4.7" x E-2.6"	4.0
PW131139	D-9.4" x E-3.1"	3.2	PW131319	W-24.5" x H-4.7" x E-2.6"	4.0
PW131140	D-11.8" x E-3.5"	4.9	PW131320	W-26.5" x H-4.7" x E-2.6"	5.0
PW131159	D-7.1" x E-2"	2.0	PW131321	W-14.7" x H-4.7" x E-2.6"	3.0
PW131160	D-9.4" x E-2.4"	4.2	PW131322	W-38.3" x H-4.7" x E-2.6"	4.0
PW131161	D-11.8" x E-2.8"	6.5	PW131323	W-22.6" x H-4.7" x E-2.6"	4.0
PW131267	W-7.1" x H-13.1" x E-8.7"	7.0	PW131324	W-24.5" x H-4.7" x E-2.6"	4.0
PW131268	W-6.3" x H-12.9" x E-8.1"	4.0	PW131325	W-14.7" x H-4.7" x E-2.6"	3.0
PW131271	D-11.8" x E-5.1"	5.0	PW131326	W-26.5" x H-4.7" x E-2.6"	4.0
PW131272	D-19.7" x E-5.1"	10.0	PW131327	W-38.3" x H-4.7" x E-2.6"	4.0
PW131274	W-5.7" x H-7.1" x E-6"	2.6	PW131435	D-6.3" x H-3.1"	2.4
PW131307	D-5.5" x E-6"	1.3	PW131436	D-7.9" x H-3.5"	2.9
PW131311	W-4.7" x H-22" x OAE-9.375" (Minimum: MIE-1.8")	2.0	PW131437	D-9.8" x H-4.1"	4.0
			PW131559	W-8.1" x H-9.3" x E-10.6"	2.9

VANITY & PICTURE LIGHTS

Measurement Format 1: (D) Diameter x (E) Extention from Wall

Measurement Format 2: (L) Length x (H) Width x (E) Extention from Wall

Item Code	Measurements	Installed Weight (lb)	Item Code	Measurements	Installed Weight (lb)
PW030002	L-23.6" x H-4.3" x E-2.9"	4.0	PW131307	D-5.5" x E-6"	18.0
PW030003	L-35.4" x H-4.3" x E-2.9"	26.5	PW131308	L-11.8" x H-5" x E-5.4"	3.0
PW030019	L-39.4" x H-4.7" x E-3"	5.3	PW131309	L-19.7" x H-5" x E-5.4"	5.0
PW030020	L-29.5" x H-4.7" x E-3"	4.4	PW131310	L-35.4" x H-5" x E-5.4"	9.0
PW131002	L-23.6" x H-4.7" x E-3.5"	19.7	PW131318	L-22.6" x H-4.7" x E-2.6"	4.0
PW131003	L-35.2" x H-4.7" x E-3.5"	25.1	PW131319	L-24.5" x H-4.7" x E-2.6"	4.0
PW030021	L-21.7" x H-4.7" x E-3"	3.3	PW131320	L-26.5" x H-4.7" x E-2.6"	5.0
PW131022	L-19.8" x H-5.6" x E-2.8"	4.7	PW131321	L-14.7" x H-4.7" x E-2.6"	3.0
PW131023	L-26.7" x H-5.6" x E-2.8"	5.0	PW131322	L-38.3" x H-4.7" x E-2.6"	4.0
PW030027	L-19.7" x H-4.7" x E-2.6"	3.3	PW131323	L-22.6" x H-4.7" x E-2.6"	4.0
PW030028	L-27.6" x H-4.7" x E-2.6"	4.0	PW131324	L-24.5" x H-4.7" x E-2.6"	4.0
PW030029	L-43.3" x H-4.7" x E-2.6"	4.2	PW131325	L-14.7" x H-4.7" x E-2.6"	3.0
PW131038	L-9.8" x H-4.7" x E-5.9"	2.7	PW131326	L-26.5" x H-4.7" x E-2.6"	4.0
PW131039	L-15.7" x H-4.7" x E-5.9"	3.7	PW131327	L-38.3" x H-4.7" x E-2.6"	4.0
PW131273	L-30" x H-7.1" x E-7.2"	7.0	PW131522	L-23.6" x H-4.7" x E-2.9"	2.2
PW131274	L-5.7" x H-7.1" x E-6"	2.6	PW131523	L-29.5" x H-4.7" x E-2.9"	2.6
PW131275	L-18.1" x H-7.1" x E-7.2"	5.3	PW131524	L-23.6" x H-4.7" x E-3.6"	2.6
PW131296	L-22.8" x H-4.7" x E-5.9"	4.9	PW131525	L-29.5" x H-4.7" x E-3.6"	2.9

MEASUREMENTS

TABLE & DESK LAMPS

Measurement Format 1: (D) Diameter x (H) Height from Floor

Measurement Format 2: (L) Length x (W) Width x (H) Height from Floor

Adjustable: (OAH) Overall Height From Floor | (MIH) Minimum Height from Floor

Item Code	Measurements	Installed Weight (lb)	Item Code	Measurements	Installed Weight (lb)
PT040001	D-4.4" x H-16"	3.8	PT140918	D-13.4" x H-19.8"	8.4
PT040002	D-5.6" x H-20"	5.7	PT140920	D-12.6" x H-21.1"	9.3
PT040013	D-9.8" x H-17.9"	5.1	PT140930	L-12.6" x W-14.2" x H-23.8"	14.0
PT040014	D-14.2" x H-21.7"	8.4	PT140931	D-11.8" x H-20.7"	9.4
PT040033	D-11.8" x OAH-24.3" (Minimum: MIH-18.3")	7.9	PT140934	L-17.7" x W-8.3" x H-17.9"	9.4
PT040041	L-32.5" x W-9.8" x H-27.6"	7.0	PT140940	D-11.8" x OAH-25.9" (Minimum: MIH-22.75")	9.0
PT040042	L-15.7" x W-6.3" x H-16"	6.6	PT140948	D-5.1" x H-11.4"	14.0
PT040043	L-19.7" x W-7.1" x H-19.9"	8.8	PT140962	D-6.3" x H-14.3"	7.4
PT040061	D-9.8" x H-24.7"	10.0	PT140963	D-7.1" x H-16.7"	6.1
PT040741	D-7.9" x H-24"	5.1	PT140964	L-18" x W-6.3" x H-17"	6.0
PT040743	D-12.6" x H-24"	8.2	PT140966	D-6.3" x H-16.6"	4.0
PT140192	D-10.2" x H-26.8"	8.4	PT140968	D-7.1" x H-6"	4.8
PT140864	L-22" x W-6.3" x H-17.8"	11.1	PT140980	D-7.1" x H-17"	4.0
PT140903	D-7.9" x H-20.3"	5.6	PT140981	D-7.1" x H-9.1"	3.0
PT140914	D-13.4" x H-20.6"	10.2	PT141063	D-7.9" x H-17.1"	4.4

FLOOR LAMPS

Measurement Format 1: (D) Diameter x (H) Height from Floor

Measurement Format 2: (L) Length x (W) Width x (H) Height from Floor

Adjustable: (OAH) Overall Height From Floor | (MIH) Minimum Height from Floor

Item Code	Measurements	Installed Weight (lb)	Item Code	Measurements	Installed Weight (lb)
PF050006	D15.7" x OAH69.4" (Minimum: MIH 56.75")	17.5			
PF050481	D-15.7" x H-61.4"	4.0	PF150578	D-9.8" x H-50"	32.4
PF150014	D-15.7" x H-67.7"	18.8	PF150587	D-38.4" x H-72"	11.4
PF150082	D-11.8" x H-64.6"	18.7	PF150589	D-28.9" x H-70.3"	11.9
PF150564	D-9.8" x H-59.7"	23.0	PF150594	D-11" x H-63.3"	12.4
PF150570	L21.5" x W-24.4" x H-73.6"	52.3	PF150596	D-8.7" x H-57.1"	3.0
PF150571	D-15.7" x H-61.6"	38.8			